#### DOCUMENT RESUME

ED 136 027 08 CE 010 172

AUTHOR Gilles, Donald M.

TITLE A Statewide Manpower/Curriculum Management System.

Final Report.

INSTITUTION Oregon State Dept. of Education, Salem. Career and

Vocational Education Section.

SPONS AGENCY Office of Education (DHEW), Washington, D.C.

BUREAU NO V0066VZ PUB DATE Mar 76

GRANT OEG-0-74-1723

NOTE 181p.

and the second second

EDRS PRICE MF-\$0.83 HC-\$10.03 Plus Postage.

DESCRIPTORS \*Curriculum Development; Curriculum Planning; Job Skills; Learning Modules; \*Management Information Systems; Manpower Development; \*Manpower Needs;

Systems; Manpower Development; \*Manpower Needs; Material Development; Occupational Guidance;

Occupations; State Programs; Systems Development;

Task Analysis; \*Vocational Education

IDENTIFIERS Oregon

#### ABSTRACT

Because Oregon has witnessed dramatic growth and interest in vocational education in the last 10 years as schools began implementing vocational education at an accelerated rate, the primary purposes of the project were to strengthen and expand applied research efforts in the areas of manpower analysis, counseling and guidance, and curriculum development. The project provided a means to further the development of a "data base system" in Oregon with components related to manpower and curriculum development. It also provided for the completion of the Career Program Planning System (CPPS) in Oregon. With CPPS completed, Oregon is able to identify occupational needs for some 2,800 occupations in 18 major occupational areas. These areas include agriculture, marketing, health, food service, accounting, clerical, steno-secretarial, industrial mechanics, construction, electricity-electronics, metals, child care, clothing, institutional and home management, drafting, graphics, service occupations, and forest products. The development of CPPS also has provided a means to assign the number of trained vocational graduates to specific clusters and related U.S. Office of Education (USOE) instructional program areas. (This report describes project design and procedures and lists conclusions and recommendations. Half of it consist of appendixes: Sample task analysis, task analysis procedures, task analysis questionnaire, learner module cover format, guidelines for module format, sample module, sample work experience training plan, and miscellaneous tables.) (WL)

Documents acquired by ERIC include many informal unpublished materials not available from other sources. ERIC makes every effort to obtain the best copy available. Nevertheless, items of marginal reproducibility are often encountered and this affects the quality of the microfiche and hardcopy reproductions ERIC makes available via the ERIC Document Reproduction Service (EDRS). EDRS is not responsible for the quality of the original document. Reproductions supplied by EDRS are the best that can be made from ginal.

## FINAL REPORT

Project No. V0066VZ Grant No. OEG-0-74-1723

# A STATEWIDE MANPOWER/CURRICULUM MANAGEMENT SYSTEM

Research Project in Vocational Education conducted under Part C of Public Law 90-576

U.S. OEPARTMENT OF HEALTH.
EDUCATION & WELFARE
NATIONAL INSTITUTE OF
EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL NATIONAL INSTITUTE OF EDUCATION POSITION OR POLICY

The project report herein was performed pursuant to a grant from the Office of Education, U.S. Department of Health, Education, and Welfare. Contractors or grantees undertaking such projects under Government sponsorship are encouraged to express freely their professional judgment in the conduct of the project. Points of view or opinions stated do not, therefore, necessarily represent official Office of Education position or policy.

DONALD M. GILLES
Coordinator, Career Education Program Development
OREGON STATE DEPARTMENT OF EDUCATION
942 Lancaster Dr. N.E.
Salem, Oregon 97310

**MARCH 1976** 



# TABLE OF CONTENTS

		Page
LIST OF	TABLES AND ILLUSTRATIONS	1
DEFINIT	TONS	V
Chapter		
I.	INTRODUCTION	1
	Time period covered by the report	1
	Goals and Objectives	1
	Results and Accomplishments	2
	Conclusions and Recommendations	3
11.	PROBLEM AREA, GOALS AND OBJECTIVES OF THE PROJECT	
	Specific Statement of the Problem	4
	Project Goals, Objectives, Activities	5
Ш.	PROJECT DESIGN AND PROCEDURES FOLLOWED	9
_	Manpower Analysis	10
	Processes used to Identify the Occupations	10
	Review of Curriculum Materials	11
	Dictionary of Occupational Titles	12
	United States Office of Education Codes	12
	Program Specialist Review of the Manpower Information	13
	Role of the Oregon Employment Division	15
	Committee Review of Manpower Data	17
	Manpower Summaries	. 17
	Sources and Types of Manpower Supply	. 17
	Career Program Plonning System (CPPS)	. 18



# TABLE OF CONTENTS (continued)

Chapter			Page
Ш.	PRC	DJECT DESIGN AND PROCEDURES FOLLOWED (cont'd)	
	Mai	npower Activities Prior to Project Funding	24
	Mar	npower Activities Conducted during the Project	24
	Emp	oloyer Survey Program to be revised	27
	Des	seminotion of Manpower Information	28
	Ong	joing Evaluation and Review of the Manpower System	29
	Tasi	k Analysis	30
	Wo	rk Experience Training Plans	31
	Con	npetency Derivation	32
	Cur	riculum Development Environment	32
	Step	os Toward Competency Analysis	35
IV.	REC	OMMENDATIONS	52
V.	APF	PENDIXES	
	A.	Sample Task Analysis	56
	B.	Task Analysis Questionaire	67
	C.	Task Analysis Procedures	75
	D.	Learner Module Cover Format	88
	E.	Guidelines for Module Formot	95
	F.	Sample Module	100
	G.	Sample Work Experience Training Plan	119
	H.	Miscellaneous Tables	140



# LIST OF TABLES AND ILLUSTRATIONS

Tabl	le		Page
	1.	Sample page of Detailed Occupational Listings In Monpower Summary of Accounting Occupations	14
1	۱.	Manpower Anolysis Completed prior to July 1, 1974	25
П.	l.	Manpower Anolysis Completed During Project	26
٧١	<b>/</b> .	Manpower Summaries for Competency- Based Occupational Groupings	141
V	<b>'</b> .	Guides developed or revised during project period including compilation of Competencies and Performance Objectives	142
V	١.	Work Experience Training Plans Developed during Project	143
∛ VII	Ι.	Occupational Task Analysis compiled during Project period	144
lilustra	tio	ns	
Figure	1	State Administrative Districts	16
Figure	2	CPPS User Request Sheet	20
Figure	3	CPPS Request Output (State-Wide)	22
Figure	4	CPPS Request Output (Administrative District Only)	23
Figure	5	Pre-Analysis Worksheet	40
Figure	6	Response Frequency Sheet	42
Figure	7	Response Commonality Report	44
Figure	8	Procedural Summory Data Processing Competency Derivation	46
Figure	9	Task Anolysis Verification	48
Figure	10	Work Sheet for Organizing Task Information	50



#### DEFINITIONS

DICTIONARY OF OCCUPATIONAL TITLES (D.O.T.)....A two-volume publication of the U.S. Department of Labor. One volume contains the titles and definitions of 35,550 occupations in the U.S. The other volume groups the jobs by occupational, industrial, or worker characteristics to help the user see relationships among occupations and to classify the abilities, vocational experiences and potentials of workers.

EXPLORATION....Provide students with opportunities to better understand themselves and the knowledge, skills, technical requirements, working conditions and political and social relaties of each of the career fields that interest them.

GOAL....A broad statement of instructional intent. Usually characterized by vague words as understand, know, appreciate, etc. Example: Students will be able to apply a general knowledge of construction techniques.

INDUSTRIAL EDUCATION....A general term applying to industrial related education, including Industrial Arts, Vocational Industrial (Trade and Industrial), and Technical Education.

INSTRUCTIONAL ANALYSIS.....A process of (a) grouping knowledge and skills, (b) identifying expected student behaviors, (c) organizing knowledge requirements, (d) organizing classroom activities, (3) determining scope and sequence of curriculum.

INSTRUCTIONAL CONCEPT..... A generalized idea of the composite skills and knowledge to be taught.

KEY OCCUPATIONS....Jobs in which 250 or more are employed and in which a five-year expansion/replacement need of 100 or more over a five-year period can be shown.

PERFORMANCE INDICATOR....A description of observable student performance which takes place within a prescribed setting (under specific conditions). Does not include a criterion. Example: Given a lab exercise the student will be able to use an electric hand power saw, drills and router.

PREPARATION....Through the career cluster concept, students are given the opportunity to gain basic skills and knowledge related to a broad occupational area rather than to one occupation.

RELATED OCCUPATIONS.....Jobs in which 100 or more persons are employed in Oregon and among which similarities can be found.



TASK....Any function a worker performs within a specific, continuous period of time and which results in an end product.

TASK INVENTORY.... A list of the duties and functions of a specific occupation which a worker performs in order to successfully hold the job.

VOCATIONAL EDUCATION.....A component of career education which offers specific skill training in a wide variety of subtechnical, technical and subprofessional skills, which prepares individuals for gainful employment, and which may continue through skill upgrading or retraining for a new job.

WORLD OF WORK....All existing job titles shown in the Dictionary of Occupational Titles.



# CHAPTER I

#### TIME PERIOD COVERED BY THE REPORT

This report is the final report for the total project covering the time period of July 1, 1974, to December 31, 1975.

Traditional vocational education programs have undergone change and revision and have assumed an increased significant role in the total educational process. Oregon has witnessed dramatic growth and interest in vocational education in the last ten years as schools have begun implementing vocational education at an accelerated rate.

Due to this new vocational emphasis and the related enrollment increases, great need had arisen in Oregon education for the development of more accurate and complete manpower and occupational data and related instructional materials for purposes of vocational program planning, curriculum development and guidance.

In response to the foregoing needs, it was critical that development of the identified components of the manpower/curriculum management system, as described in the original proposal, be completed and the necessary data compiled and placed in that system as soon as possible.

#### GOALS AND OBJECTIVES

The primary purposes of the project were to strengthen and expand applied research efforts in the areas of manpower analysis, counseling and guidance and curriculum development.

The Broad goals of the Project were to:

- provide for the development, refinement and use of manpower data for program planners, curriculum development and guidance and counseling;
- (2) create a data base through occupational task/competency/instructional analysis for purposes of program planning, curriculum development and guidance; and
- (3) provide models for utilization of data in curriculum development with emphasis on individualized instruction, work experience and student assessment.

The Specific Objectives were:

1.1 To complete development of a computerized system for organization and dissemination of manpower data.



- 1.2 Add additional manpower data to the system and verify existing data.
- 2.1 Complete task analyses in priority occupational areas.
- 2.2 Identify common core competencies in priority occupational cluster areas.
- 2.3 Develop dissemination procedures for task/competency analyses.
- 2.4 Develop criteria-based performance objectives for identified tasks and competencies.
- 3.1 Develop alternate designs for individualized instructional materials based on identified objectives.
- 3.2 Provide a basis for establishing specifications for work experience programs.
- 3.3 Provide procedures for assessing students for placement in occupational training programs or employment.
- 3.4 Refine field test procedures for evaluation of instructional materials.

#### RESULTS AND ACCOMPLISHMENTS:

The project was significant in that it provided a means to further the development of a "data base system" in Oregon with components related to manpower and curriculum development.

The project was instrumental in providing for the completion of the Career Program Planning System (CPPS) in Oregon. With CPPS completed, Oregon now is able to identify occupational needs for some 2,800 occupations in 18 major occupational areas. These areas include agriculture, marketing, health, food service, accounting, clerical, steno-secretarial, industrial mechanics, construction, electricity-electronics, metals, child care, clothing, institutional and home management, drafting, graphics, service occupations and forest products. The development of CPPS also has provided a means to assign the number of trained vocational graduates to specific clusters and related USOE instructional program areas.



The project was also instrumental in enhancing the development of an occupational base for curriculum development in Oregon. Through the project Oregon was able to compile or develop numerous occupational/task analyses, occupational competencies and learner modules which otherwise would have taken a longer time period to obtain. Through the project Oregon was also able to develop a data processing system for compiling and sorting occupational tasks so that common competencies may be derived based on common characteristics of tasks.

#### CONCLUSIONS AND RECOMMENDATIONS:

Manpower demand systems must be revised at least every two to three years if they are going to be helpful to program planners. Periodic updates insure that new programs are started only when current employment and forecasted job opening estimates justify the new programs. The updated demand information also is instrumental in monitoring the impact of existing vocational programs on the labor market.

The supply component of most manpower systems, including CPPS, is most often the weakest link. This need not happen. Such weaknesses can be reduced by an all-out effort to identify the various supply sources and obtain accurate information of the numbers of trained people available from these sources.

Once the new Federal-State Occupational Employment Statistics (OES) Program is operational it is recommended that special effort be made to identify new and emerging occupations. In this way attention can be given to considering new programs in these areas. It is also recommended that the Oregon Department of Education and the Oregon Employment Division pursue the development of a manpower supply model that will more accurately identify trained graduates and workers who may fill existing labor market needs.

After half of the project had elapsed, it became apparent that some of the proposed objectives were too progressive, in view of the time it took to complete some of the activities. For instance, it was projected that 60 occupational/task analyses would be completed during the eighteen months of the project, however, only 38 were actually completed. The reason for this is that we found it actually took on the average of three months to complete a single occupational/task analysis. This included contracting with a person presently working in the occupation which needed to have a development of an analysis, reviewing the individuals work and working with a screening committee of persons presently in the occupation to determine the validity of the analysis.



### CHAPTER II

# PROBLEM AREA, SPECIFIC GOALS, OBJECTIVES AND ACTIVITIES

#### PROBLEM AREA

Due to a new vocational emphasis and related enrollment increases, great need had arisen in Oregon education for the development of more accurate and complete manpower and occupational data and related instructional materials for purposes of vocational program planning, and curriculum development. Two major areas requiring immediate development were.

- 1. High School Cluster Preparation Curriculums; Detailed manpower analyses were required to determine the need for additional programs in existing cluster areas and to identify new occupational cluster areas. In addition, these analyses provided date for career guidance and identification of priority occupational areas for curriculum development. Occupational analyses and associated instructional analyses had to be completed to establish a base for the development of cluster core curriculum materials.
- 2. Specialization (Post-High School) Curriculums; As the number of these programs proliferated it became essential that accurate occupational manpower demand/supply data be available to help in planning and to overcome problems of program overlap and oversupply in some occupational areas. Again, as at the high school level, occupational task and instructional analyses had to be completed in identified priority occupational areas so that the curriculum development process was valid and relevant to industry needs.

As comprehensive career education programs are implemented in the elementary and intermediate grades, emphasis is being placed on vocational offerings which will meet a wide variety of student needs. If vocational programs are to meet the demands being placed on them, they must be able adapt the instruction and curriculum to the individual by having available appropriate and validated individualized curriculum materials. This is particularly true in post-secondary and adult preparatory programs. To expedite this process to provide for maximum instructional efficiency and to help eliminate duplication in student learning experiences two key requirements appear to be necessary: (1) have the instruction based on the developing student competencies in priority occupational areas, and (2) identify competencies that occur in more than one occupation.





In response to the foregoing needs, it was critical that development of the identified components of the manpower/curriculum management system be completed and the necessary data compiled and placed in that system as soon as possible.

## GOALS AND OBJECTIVES OF THE PROJECT

The primary purposes of the project were to strengthen and expand applied research efforts in the areas of manpower analysis, counseling and guidance and curriculum development. More specifically, the goals for the project were: (1) provide for the development, refinement and use of manpower data in program planners, curriculum development and guidance and counseling; (2) create a data base through occupational task/competency/instructional analysis for purposes of program planning, curriculum development and guidance; and (3) provide models for utilization of data in curriculum development with emphasis on individualized instruction, work experience, and student assessment. A detailed breakdown of the objectives and activities related to each of these goals is as follows:

- 1. GOAL Provide for the development, refinement and use of manpower data in program planning, curriculum development and guidance and counseling.
  - 1.1 OBJECTIVE Complete development of a computerized system for organization and dissemination of manpower data.

- 1.1.1 Complete development of Career Program Planning System (CPPS) System.
- 1.1.2 Implement use of system and data in field.
- 1.1.3 Provide in-service training in use of the system, and manpower data contained in the system, for program planners, curriculum developers, teacher educators and counselors.
- 1.1.4 Develop methods and procedures for assessment and evaluation of manpower data and dissemination system.



- 1.1.5 Refine system according to evaluation.
- 1.1.6 Provide data for assisting student placement based on manpower demand/supply and follow-up studies.
- 1.2 OBJECTIVE Add additional manpower data to system and refine and verify existing data.

#### ACTIVITIES

- 1.2.1 Refine exist np. demand projections through substantion with industrial advisory groups.
- 1.2.2 Identify priority areas for program and curriculum development in new and emerging occupational areas.
- 1.2.3 Refine existing manpower supply data through utilization of data from:
  - 1. student follow-up studies
  - 2. refined student enrollment studies
  - reporting identification of other organized manpower training programs; e.g., armed forces, private schools.
- 2. GOAL Create a data base, through occupational task/competency/instructional analysis in priority occupational analysis in priority occupational areas, for purposes of program planning, curriculum development and guidance.
  - 2.1 OBJECTIVE Complete task analysis in priority occupational areas.

## ACTIVITIES

- 2.1.1 Complete 60 task analysis.
- 2.1.2 Validate each analysis with an industrial advisory committee.
- 2.1.3 Utilize and refine task analysis procedures.
- 2.2 OBJECTIVE Identify common core competencies in priority occupational cluster areas.

- 2.2.1 Refine and test existing competency derivation process.
- 2.2.2 Derive competencies in six occupational cluster areas.



2.3 OBJECTIVE - Develop dissemination procedures for task/competency analysis.

#### ACTIVITIES

- 2.3.1 Design and test computerized and manual task/competency retrical dissemination system.
- 2.3.2 Place task/competencies developed into the system.
- 2.3.3 Provide in-service training for utilization of task/competency analysis by program planners, curriculum developers, teacher educators and counselors.
- 2.4 <u>OBJECTIVE</u> Develop criteria-based performance objectives for identified tasks and competencies.

#### ACTIVITIES

- 2.4.1 Refine procedures for development of instructional objectives for competencies based on occupation tasks.
- 2.4.2 Derive instructional objectives for common core competencies in four occupational clusters.
- 2.4.3 Derive instructional objectives for postsecondary instruction based on identified tasks in 25 specific occupations.
- 2.4.4 Disseminate objectives to curriculum developers.
- 3. GOAL Provide models for utilization of data in curriculum development, work experience and student assessment.
  - 3.1 OBJECTIVE Develop alternate designs for individualized instructional materials based on identified instructional objectives.

- 3.1.1 Identify instructional need of different categories of students.
- 3.1.2 Identify instructional objectives for disadvantaged and handicapped students.
- 3.1.3 Design and test special individualized instruction materials for disadvantaged and handicapped students.
- 3.2 OBJECTIVE Provide a basis for establishing specifications for work experience programs.



#### ACTIVITY

3.2.1 Design a model for utilizing task/competency analysis and instructional objectives in developing work experience training agreements.

3.2.2 Identify needs and design a model for adapting existing individualized instructional materials for use in work experience programs.

3.3 OBJECTIVE - P de procedures for assessing students for place in occupational training programs or omplement.

#### ACTIVITIES

- 3.3.1 Develop student assessment model based on task/competency analysis and instructional objectives.
- 3.3.2 Provide for dissemination of models to teachers and counselors.
- 3.4 OBJECTIVE Refine field test procedure for evaluation of instruction materials.

- 3.4.1 Review and evaluate existing instruments and procedures for field testing instructional models.
- 3.4.2 Provide for appropriate revision.



# CHAPTER III PROJECT DESIGN AND PROCEDURES FOLLOWED

The Career and Vocational Education Section of the Oregon Department of Education recognizes the importance of using manpower information when planning career and vocational programs in secondary schools and community colleges. One method used to accomplish this in Oregon is to organize occupations into career clusters having common competencies. This concept requires that all occupations included in the cluster have a significant number of commonly required skills and abilities to perform the tasks associated with each occupation. A worker who possesses a competency has the ability to perform of actively the tasks under consideration, including the cognitive, psychomotive, and affective.

In Oregon, eighteen such clusters have been identified as having potential for implementation into the public schools and community colleges. The cluster structure implies that career education should prepare students for entry into an "area" or "family" of occupations rather than a specific job. This approach is intended to help students avoid premature commitment to a narrow speciality of work, and, at the same time, provide them with entry-level competencies for a broad base of occupations. In addition, career cluster education is intended to qualify students for subsequent enrollment in more concentrated and specialized training in post-secondary levels of education.

Before a cluster is officially recognized by the Oregon Board of Education, it must have been identified as having general merit for public educational programs and financial support; the composit occupations within the cluster must include a minimum employment of 10,000 people in the state; and indicate a need for a minimum of 2,000 or more employees to meet five-year expansion and replacement forecasts.

BECAUSE OF THE REQUIREMENT FOR A LARGE EMPLOYMENT BASE AND FORECASTED NEED, CAREER CLUSTERS DO NOT ENCOMPASS THE ENTIRE OCCUPATIONAL SPECTRUM.

The clusters are used primarily as a way of organizing curriculum for career and vocational training in grades 11 and 12 and post-secondary training in community colleges. Focus has been almost exclusively on occupations which do not require a four-year college degree because of the funding restrictions set down by the U.S. Office of Education, the primary funding source for career and vocational programs in Oregon.



Prior to 1971 no systematic method had been used to identify the occupations belonging to a specific career cluster. Beginning in the fall of 1971, however, the decision was made to identify in a systematic manner all the possible occupations that could be classified under each of the 18 cluster areas. A manpower analyst was hired to identify the vast array of occupations suspected in each of the competency-based career clusters currently approved and recognized by the Oregon Board of Education. The five remaining occupational areas not yet approved by the Department also were to be developed. These included those occupations in drafting, graphics, child care, clothing (fabrics), and institutional and home management.

#### MANPOWER ANALYSIS

Manpower analyses of the 18 major occupational areas were commenced in the latter part of 1971. The purpose of the comprehensive effort was to provide detailed occupational job title profiles, related statewide and local district employment estimates, projected need estimates for a fiveyear period, and training institute output (supply). data would then be used in the decision-making process for reviewing and implementing new programs and the extension and/or curtailment of existing career education programs at the exploratory (junior high school), preparation (high school), and specialization (post-secondary) levels. Other objectives of the manpower analyses were to identify the key occupational areas for task analysis and curriculum development activities, as well as the provision of the data for assisting students in their career guidance and placement activities.

#### PROCESSES USED TO IDENTIFY THE OCCUPATIONS

The initial selection of occupations in each specific cluster area included identifying those occupations which appeared to have common competencies. The selections were tentatively validated by those having a working knowledge of the occupations. The final decision about the occupations related to a specific competency base were to be



<sup>1</sup>Career clusters presently approved by the State Board of Education include those for agriculture, marketing, health, food service, accounting, clerical, stenographic-secretarial, industrial mechanics, construction, electricity-electronics, metals, service, and forest products.

made only after detailed task analyses of them had been made. Steps in the initial selection process included the following:

- A review of curriculum materials related to each of the occupational areas under consideration.
- 2. A screen of the U.S. Department of Labor's <u>Dictionary</u> of <u>Occupational Titles</u> (DOT) to identify the job titles satisfying the parameters of the rationale for the specific cluster area.
- 3. A screen of the United States Office of Education (USOE) publication Vocational Education and Occupations to identify additional job titles.
- 4. A review of the resulting occupational job titles by appropriate program specialists at the Oregon Department of Education, Career and Vocational Education Section.
- 5. A review of these same job titles by an ad hoc manpower review committee composed of members from business, industry, labor, management, and government who represented the specific selection of occupations. (This group was responsible for reviewing the completeness of the occupations to be included in the cluster area, whether or not they had been classified into the correct USOE instructional program area within the specific cluster, and recommending the key occupations that would be used to develop the revised curriculum materials for the cluster.)

#### REVIEW OF CURRICULUM MATERIALS

The first step in the process to identify occupations to be included in the cluster was to review curriculum materials that might suggest the types of occupations that should be included. The primary source reviewed in the manpower analysis was the existing curriculum guide for the career cluster. For example, when developing the manpower summary for the accounting cluster of occupations the Oregon Department of Education publication Curriculum Guide for Accounting Occupations was reviewed. This approach helped to identify the key occupations presently recognized by the Department.

Other related curriculum materials included appropriate texts, special reports, monographs, and similar items.



#### DICTIONARY OF OCCUPATIONAL TITLES (DOT)

The U.S. Department of Labor's third edition of the Dictionary of Occupational Titles (DOT) was the next source reviewed to identify the occupations relating to a specific cluster area. This source was one of the two main classifying systems used within the individual career clusters. (The other being the U.S. Office of Education instructional program grouping of related occupations.) The DOT includes some 20,000 occupational job titles, each with a specific definition of that job title. Of these, Oregon identified approximately 4,300 occupations in its statewide employer skill survey conducted in 1969, and of these, 2,793 were included in the 18 cluster areas finally completed by the project's end. Each of the 20,000 occupations have unique nine-digit DOT code, e.g., 860.381.026 (Carpenter), and can be interpreted as follows:

- 1. The first three digits identify any of 603 occupational groups. For example: 860 is Carpentry and Related Work. (Definitions of these groups can be found in alphabetical order in Volume I of the Dictionary of Occupational Titles. Volume II lists these groups in numerical order, as well as provides worker-trait groups.)
- 2. The second three digits, 381, identify the types of relationships with data, people, and things required by the job. The code for each digit has a specific meaning; numbers do not represent ranking order. (The codes and their meanings are explained in Volume II of the <u>Dictionary of Occupational Titles</u>.)

These three digits are currently grouped to describe 114 specific worker-trait groups dealing with the data, people, things concept.

3. The last three digits, 026, are a sequential code which allows the DOT titles to fall into alphabetical order among other titles with the same first six DOT digits.

#### UNITED STATES OFFICE OF EDUCATION (USOE) CODES

The USOE publication <u>Vocational</u> Education <u>and Occupations</u> was the next source studied to locate additional job titles that could be included within a specific cluster. In addition to supplying additional job titles the publication provided the means to group all the DOT job titles identified. By specific instructional program area, each group includes those occupations having a high degree of commonality for purposes of instructional program planning and curriculum development. And unlike clusters which accommodate program



planning and curriculum development at the secondary level, these program groupings within each cluster relate to more specific occupational instructional programs offered at the community college. The purpose of these groupings is to enable community colleges to focus on any one of the approximate 1 to 20 USOE program areas found within a specific cluster. High schools also focus on these groups, but in a more general way since they are working to develop broad entry-level competencies of all the USOE groups within the cluster.

TABLE I on the next page illustrates selected DOT job titles from the accounting cluster and how they are grouped according to USOE program area. Community colleges can develop in greater depth a very complete curriculum around one of the USOE groups, say USOE 14010100, Accountants. High schools would look to all three USOE groups, i.e., Accountants, Bookkeepers, and Cashiers<sup>2</sup>, and prepare a more general curriculum from the key occupations (those preceded by an asterisk) found within each of the three USOE groups. The deeper analysis of a particular USOE grouping done by the community college curriculum planner provides not only entry-level skills, but skills somewhat beyond to allow the person to move more quickly into the more technical aspects of the USOE program area for which he is being trained.

### PROGRAM SPECIALIST REVIEW OF THE MANPOWER INFORMATION

Once the occupational job titles have been identified and tentatively grouped by USOE program area, the vocational program specialist for the particular cluster area is asked to review them before they are reviewed by the ad hoc manpower review committee. The purpose of the specialist's review is to determine the completeness of the occupations, whether or not some of the occupations should be deleted or others added; insure that the occupations as revised have been grouped under the most appropriate USOE program area; and finally make initial recommendations about the key occupations that should be selected for task analyses.

When selecting the key occupations for the cluster, the program specialist is asked to consider the following guidelines:



<sup>&</sup>lt;sup>2</sup>Cashiers as illustrated are workers handling cash and accounting for cash in bookkeeping operations. They are not cashiers using cash registers.

## TABLE I SAMPLE PAGE OF DETAILED OCCUPATIONAL LISTINGS IN MANPOWER SUMMARY OF ACCOUNTING OCCUPATIONS

V. Reported Employment in Office Occupations

USOE GROUP DOT NO	DOT JOB TITLES	1967	1971	OYMENT 1975	EXP & REPL
	ACCOUNTING/BOOKKEEPING	3		AND THE PROPERTY OF THE PARTY O	and PPMARCA
14010100	Accountants		7226		<u>2193</u>
160168010 160188014 160188026 160288010 160188042 186118010 160188030 160188022 161188014 *186118014 *161118018 160188034 *160288018 *160188038	Accountant, Tax Estimator	551 2y 9 21 10 14 28 29 133 58 21 73 189 345 705 148 717 804 2392	623 6 26 21 7 44 41 152 53 39 113 156 379 905 188 891 752 2830	595 7 27 23 11 49 48 159 64 55 131 170 416 879 257 922 828 3450	0 2 4 4 5 10 17 23 24 25 37 43 77 110 118 189 231 1274
14010200	Bookkeepers		10997		3124
210388038 210388046 210388018 210388054 210388062 210388010 210388014 210388010 *210388026	Audit Clerk	0 5 0 0 14 13 12 18 120 103 735 7513	1 5 1 2 19 16 16 37 139 140 628 9993	1 5 1 3 19 17 19 43 157 152 701	0 0 0 1 5 5 6 10 51 76 264 2706
14010300	Cashiers		<u>1548</u>		<u>406</u>
211468058	Cashier, Currency Exch	3 0 0 0 1408	2 2 7 1537	2 2 8 1752	0 0 1 405



- 1. The occupation should have at least 250 or more employed in 1975.
- 2. The occupation have at least 1: or more workers needed in the ar period, 1969-7
- 3. The occupation should have definite training possibilities.
- 4. The occupation should usually be the most representative of the other occupations included within the USOE group.

A key occupation does not have to be selected for each of the some 1 to 20 USOE program groups that might exist in any one cluster, although it is quite possible to do so if an occupation meets each of the four criteria.


### ROLE OF THE OREGON EMPLOYMENT DIVISION

After the vocational program specialist has reviewed the manpower data and made his recommendation for key occupations, the estimates for employment and projected need are added. The primary source of the employment data is the Oregon Employment Division, Research and Statistics Section. (Other sources include census data, special studies, licensing agencies, and professional organizations.) This data is gathered by the section from its statewide survey of all employers in Oregon having wage and salary workers covered by unemployment insurance. The section also surveys the noncovered industries. These include churches, charitable organizations, and railroads. Estimates for self-employed, unpaid family members, and on-farm workers in agricultrue are not included.

The employment data presently used in Oregon to provide a comprehensive manpower data base for the 18 career clusters was compiled in 1969 by employer skill surveys. 3 From the results of these surveys, employment and projected need estimates were made for the state and selected local administrative planning districts 2, 3, 5, 6, 7, and 12 shown in Figure 1 on the next page.



<sup>&</sup>lt;sup>3</sup>Employer skill surveys use unstructured questionnaires which require the employer to (1) identify the job titles of his employees, and (2) estimate his future need for these occupations, usually in the next one and five-year period. And although the employer estimates of projected need were not used (these were developed using the Bureau of Labor Statistics matrix codes), the job titles were used. This resulted in identifying job titles that have varying degrees of reliability, thereby creating some problems for effective program planning.





#### COMMITTEE REVIEW OF MANPOWER DATA

The final step in the development of the occupations used in the specific cluster was a thorough review of the detailed occupations, the USOE program groups to which they had been assigned, and the identification of the key occupations within the cluster by an ad hoc manpower data review committee. This committee was composed of members who had a working knowledge of the major occupational areas identified in the detailed listing of occupations for that specific cluster. Members were selected from business, industry, labor, management and government.

#### MANPOWER SUMMARIES

As each cluster of detailed occupations and related state-wide manpower estimates, along with the ad hoc manpower review committee's recommendations for key occupations were completed, the results were immediately published under a separate cover for each cluster. (A list of these manpower summaries is included in Appendix G). Local administrative district employment escimates were not included. Neither were statewide supply estimates. All of the data, however, was made available from the Career Program Planning System (CPPS), a computerized manpower retrieval system, described in the following pages.

#### SOURCES AND TYPES OF MANPOWER SUPPLY

Once occupational employment needs are identified they need to be compared to the availability of trained people able to fill these needs. In Oregon, manpower supply data, training institute output, is obtained from the various agencies providing career and vocational training within the state.

Completion figures of these graduates at the secondary and community college levels are collected by the Career and Vocational Education Section of the Oregon Department of Education. These figures are then modified by the results of the statewide high school and community college student follow-up studies done annually. Students indicating they are "Available for Placement" are added to the supply component.

Completion figures of four-year colleges and universities (public and private) and proprietary schools are collected by the Oregon Educational Coordinating Commission, an agency created in 1975 by the Oregon Legislature, and whose members are appointed by the Governor. Since student follow-up studies of these graduates are not conducted, only the completion figures are used in the supply component of the manpower system.



The Oregon Bureau of Labor, Apprenticeship and Training Division, compiles the training output from the various apprenticeship training programs existing within the state. Student follow-up studies are not conducted by the division in Oregon; therefore, only the completion figures are used in the supply component.

Because apprentices are usually working while in training they are already included in the employment and projected need estimates. Care must be used by the program planner, therefore, not to train for more apprenticeable occupations than is necessary. For example, if a projected need is forecast for 15 additional carpenters, the program planner needs to be aware that the 15 carpenters presently in apprenticeship training are probably reflected in the need forecast. However, if it can be determined that some or all of the 15 carpenters are not employed at the time of the employer survey, then it can be assumed they are not included in the estimate of need and can likely fill the projected positions.

Future plans of the Oregon Department of Education are to work on a cooperative project with the Oregon Employment Division to develop an occupational employment supply model that will improve upon the present method of identifying the availability of vocationally trained individuals. In addition to those sources of supply already mentioned, plans are being considered to review the feasibility of including those individuals trained on the job by public and private employers, those individuals unemployed and presently registered with the local state employment offices, and military returnees who bring trained skills back to Oregon.

# CAREER PROGRAM PLANNING SYSTEM (CPPS)

In order to store and easily retrieve for dissemination all of the foregoing information the Career Program Planning System (CPPS) was developed. This is a computerized system that provides four primary types of information.

These include the past, current, and future statewide employment estimates, along with projected five-year need for each occupation identified in Oregon; selected, heavily populated local administrative planning districts' employment and projected need estimates (Review Figure 1); statewide supply, including output from high schools, community colleges, apprenticeship training, proprietary schools, and four-year colleges and universities; and five distinct and separate ways by which occupational data can be requested. This occupational data can be requested for any or all of the 18 career cluster areas; by one or more USOE program



groups within a cluster; by individual <u>Dictionary of Occupational Titles</u> number; by DOT job title; or by worker-trait group page number found in Volume II of the <u>Dictionary of Occupational Titles</u>. When requesting occupational information on a specific worker-trait group the user will receive a list of occupations requiring identical worker-trait group characteristics across all clusters, in addition to the statewide employemnt estimates. Local employment estimates are not available when occupations are requested by worker-trait group.

Program and curriculum planners needing occupational information are encouraged to contact the manpower analyst at the Career and Vocational Education Section of the Department of Education who will then complete a <u>User Request Sheet</u>. (See Figure 2 for sample copy.) The information requested is then coded and teletyped direct to the computer facilities located at Oregon State University in Corvallis. The information requested can be returned immediately by teletype or printed at the OSU Computer Center, and mailed back to the Career and Vocational Education Section within 24 to 48 hours. The data is then reviewed by the manpower analyst and forwarded to the planner requesting the information. (A sample of the output generated from the request is shown in Figure 3.)

The output sheets allow the user to compare the statewide demand with the statewide supply estimates by type of training institute. For example, USOE 17010100, COOLING, in Figure 3 lists six occupations having similar competencies. The user will note the total estimated employment and projected need for one or all of the occupations and then be able to compare the projected need for the USOE group, 173 for a six-year period (or approximately 29 for one year), to the total training output of 67 for the last school or college year. By examining the output sheet further, the user will note that no students had completed training in COOLING at the community college or apprenticeship levels.

Figure 4 illustrates the format of the data for a selected local administrative planning district. In this case, the user wanted local employment estimates and projected need for District 2 which includes the Portland metropolitan area. Data of this type can then be used at the local level for more precise program planning. Supply estimates are not available for comparison at the district level.



# CAREER PROGRAM PLANNING (CPPS) SYSTEM User Request Sheet Figure 2

Α.	USER IDENTIFICATION
	Name, Title & Address <u>Community College Vocational Dean,</u> Portland Area
	Date Requested June 4 Date Required June 10, 1974
	User Classification
	(1) State administration (5) Nonvocational teacher (2) Local administrator (6) Counselor
	(Central Office) (7) Student  X (3) Local administrator (8) Other, specify
-	(Institution) (4) Vocational teacher
В.	TYPE OF REQUEST
	Pumpose Level
	(1) Dist. Prog. Planning (1) Awareness (K-6)
	X (2) Institution Program (2) Exploratory (7-10)
	Planning (3) Preparation (11-12)
	(3) Counseling X (4) Specialization (4) Other, specify
	Comments <u>Wish to determine need for implementation of new vocational program.</u>
C.	DATA SEARCH PARAMETERS
	1. State Manpower Demand Data
	a) Is state manpower demand data required - NO YES X
	b) What types of data are required - X past employment X current employment X future employment
	X future occupational
	expansion + re-
	placement needs
	c) Do you wish to specify a minimum size of the six-year expansion and replacement need for the search - $NO_{-}X_{-}$
	YES, specify minimum
•	
	A_, A_, A_, A For Office Use Only
2.	Local Manpower Demand Data
	a) Is local manpower demand data requested - NO YES, specify
	administrative district #'s 2
	<ul> <li>b) Do you wish to specify a minimum size of the six year expansion and replacement need for the search - NO X YES, specify minimum</li> </ul>
	IN TITUIUIII
	,,,,
	For Office Use Only



# CPPS USER REQUEST SHEET (Figure 2 continued)

3.	State Manpower Supply Data		
	<ul><li>a) Is manpower supply data</li><li>b) What types of supply data</li></ul>	required - NO YES X a do you want -	
	High School (HS)  X Community College ( X Apprenticeship (APF		
	COOL , APP	PR , PRIV ,,	
4.	Occupations	ou wish to search for occupations the methods selected	
	a) Cluster Group(1) Agricultur(2) Marketing(3) Health(4) Food Servi(5) Accounting(6) Clerical(7) Secretaria	(11) Metals (12) Child Care ice (13) Clothing g (14) Home Mngmnt (15) Drafting	
	(8) Mechanics (9) Constructi b) Worker-trait Group (see DOT for clarifi	ion (17) Service (18) Forestry	
	c) X U.S.O.E. Code		· .
	17010000 (air condo 17010100 (cooling) d)D.O.T. Number	itioner)	i.
	e)Job Titles		<b>.</b>
	CLUSTER		٠.
نفر شاه القولي شالة كموارد المستوليات كموار	DOT	<u>00</u> , <u>170101</u> , ; ;	n, and assumed the province the specific of the state of
	АГРНА	For Office Use Only	



Figure 3
CPPS REQUEST OUTPUT

DEMAND

SUPPLY

KEY: Line 1: A,A,A,A

LINE 2: 2

LINE 3: CCOL, APPR, PRIV LINE 4: USOE, 17010000, 17010100

						STATE		TRAININ	G INSTITU	TIONS	
CLUSTER											
CODE	USOE	DOT-CODE					6 <b>-</b> YR			DDTII	4
PR SC WTG	CODE	NUMBER ·	DOT JOB TITLE	PAST	CURR	FUT.	DEM.	COOL	APPR	PRIV	
08	17010000	AIR CONDIT	TONTNO				بالمردة				4
08 00 312	17010000	637281010	AIR-CONDI COMM	2	2	2	· 1				
08 00 312	17010000	620281010	AIR-CONDI MECH	1	12	13	2				
08 00 312	17010000	950132010	REFRIG ENGINEER HEAD	11	10	12	4				. "
08 00 435	17010000	950782046	REFRIG ENGINEER	90	172	194	66				
00 00 433	1701000	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		,,							
	TOTALS U	SOE 1701000	0								
				104	196	221	73	0	0	3	14
08	17010100	COOLING	r								1
08 00 312	17010100	637381014	REFRIG UNIT REPAIR	0	3	4	0				9.
08 00 380	17010100	637387014	REFRIG MECH HELPER	24	4	4	0				
08 00 299	17010100	639131010	FOREMAN COOLER	4	1	1	0				0.1
08 00 322	17010100	827884010	AIR-CONDITIONING	5	13	20	12				31
08 00 312	17010100	637281034	REFRIG MECHANIC	159	190	238	13	*			1
08 00 312	17010100	827381022	REFRIG MECHANIC	150	330	~372	88				
	TOTALS USO	E 17010100									
	TOTALS USO	L 17010100		342	541	639	173	0	0	67	•
ľ	OTALS CLUS	TER CODE 08									-
				446	737	860	246	0	0	70	•
	REPORT	3 TOTALS	man and the second of an experience of the second term of a particular second term of		727	860	246	0	0	70	and the same of the same of the same of
				446	737	500	240	U	J	, 3	•



#### Figure 4 CPPS REQUEST OUTPUT

KEY: Line 1: A,A,A,A

Line 2: 2

Line 3: CCOL, APPR, PRIV Line 4: USOE, 17010000, 17010100

				DEMAND
US0E		DIST	2	LOCAL ADMINISTRATIVE DISTRICTS
CODE	DOT JOB TITLE	CURR	Z E+R	
08	17010000 ATR GOVERNOVENC			•
17010000	=: 010000 MIN CONDITIONING	_	_	
		0	0	
17010000	AIR-CONDI MECH	1	0	
		0	0	
17010000	REFRIG ENGINEER	4	1	
TOTA	LS USOE 17010000			
		5	1	
08	17010100 COOLING	•	_	
17010100		0	0	
17010100	REFRIG MECH HELPER	0	0	
17010100	FOREMAN COOLER	0	0	
17010100	AIR-CONDITIONING	0	. 0	
17010100	REFRIG MECHANIC	115	48	
17010100		225		
1,010100	ADIATO TECHANIC	. 223	29	
TOTA	LS USOE 17010100			
		340	77	
TOTA	LS CLUSTER CODE 08		• •	
		345	78	
REP 01	RT 3 TOTALS			
		345	78	



# MANPOWER ACTIVITIES PRIOR TO PROJECT FUNDING

The manpower activities described were commenced in the latter part of 1971, some two-and-a-half years prior to the funding of the Statewide Manpower/Curriculum Management System Project in July 1974. Much of this time prior to 1974 was spent developing the techniques necessary to identify the occupations and how to design the computer system and programs for the Career Program Planning System. The additional time was spent completing the manpower analyses for the eight career clusters outlined in TABLE II, including the occupational information already described, and publishing a manpower summary for each cluster area as it was completed under a separate cover.

# MANPOWER ACTIVITIES CONDUCTED DURING THE PROJECT

During the 18 months of the project the remaining 10 major occupational areas were completed. (See TABLE III.) All of the information developed was included in the Career Program Planning System, and the remaining manpower summaries needing to be completed were published with the exception of the one for the agricultural occupations.

The manpower summary for the agricultural occupations experienced a major delay because of several problems. One was the problem of deciding the nature of occupations having agricultural competencies. This problem stemmed from not being able to decide if agricultural competencies included those in agriculture-business, as well as those in the area of agriculture production, which included such sub-elements as agriculture production on-farm, animal science, and plant science. For example, the problem in on instance dealt with how to classify agricultural power and machinery occupations. These included occupations like tractor mechanic and farm equipment mechanic. include them in the agricultural cluster area would seem to violate the competency-based cluster concept because these occupations were already included in the industrial mechanics cluster. Program specialists of both clusters each felt the group of occupations should be included in their cluster area.

Still another promem dealt with which DOT job titles should be classified under a given USOE group. This posed quite a problem because the USOE publication Vocational Education and Occupations, the source document used to classify DOT job titles by USOE program group, listed the agricultural power and machinery occupations in the agricultural cluster area. In Oregon these same occupations are included in the



TABLE II

MANPOWER ANALYSES COMPLETED PRIOR TO JULY 1, 1974

	OCCUP. PROFILE	STATE EMPLOYMENT	LOCAL EMPLOYMENT	STATE SUPPLY	IN CPPS	MANPOWER SUMMARY	COMPLETED
ulture							
eting	X	X	X	X	X	X	X
h	X	X	X	X	X	X	X
Service							
nting							
cal							
-Secretarial							
trial Mechanics	X	X	X	X	X	X	X
ruction							
ricity-Electronics	Х	Х	X	X	Х	X	X
s	X	X	X	X	X	X	X
Care							
ing					-	·	
tutional/Home Management							
ing	Х	Х	Х	X	X	Х	Х
ics	Х	Х	X	. <b>X</b>	X	X	X
	Х	Х	Х	Х	Х	. X	X



TABLE III MANPOWER ANALYSES COMPLETED DURING PROJECT JULY 1, 1974 to DECEMBER 31, 1975

JISTER AREA	PROFILE	STATE EMPLOYMENT	LOCAL EMPLOYMENT	STATE SUPPLY	IN CPPS	MANPOWEF SUMMARY	COMPLETED
ulture	D	D	D	D	D	A	A
ting	B	В	<b>B</b> .	В	В	В	В
h "	В	В	В	В	В	В	В
Service	D.	D	D	D	D	D	D
nting	D	D	D	D	D	D	D
cal	D	D	D	D	D	D.	D.
-Secretarial	D	D	D	D	D	D	D
trial Mechanics	В	В	В	В	В	В	В
ruction	D	D	D	D	D	D	D.
ricity-Electronics	B	В	В	В	В	В	В
<b>s</b>	В	В	: <b>B</b>	E	В	В	В
Care	D	D	D	D	D	D	מ
ing	Ð	D	0}	D .	D .	D	Ð
tutional/Home Management	D	D	D	D	D	D	D
ing	B	В	.B	В	В	A	A
ics	II.	В	B	В	В	В	В
ce	五	В	В	В	В	В	В
t Products	I.	D	D	D	D	D	<b>D</b> .

Key:
E-Completed before Project
D-Completed during Project
A-Completed after Project



industrial mechanics cluster area, and therefore additional time needs to be spent to resolve the differences of opinion between the program specialists and the members of the ad hoc manpower review committees for industr al mechanics and agricultural occupations. A related problem dealt with the identification of the key occupations to be included in the agriculture cluster area. Since the grouping of the occupations within a given USOE group, as well as the USOE groups still to be assigned to the agriculture cluster has not yet been decided, the selection of the key occupations can only be very tentative.

A final problem delaying the completion of the manpower summary for the agriculture occupations was the problem of determining the on-farm employment. Since on-farm workers and self-employed were not surveyed by the Oregon Employment Division, other sources had to be used to identify these workers. This was accomplished in two ways. One, a special survey was made by the Employment Division of all farmers applying for workers compensation insurance from the Oregon State Accident Insurance Fund (SAIF).4 This survey asked the farmers to respond to the numbers of on-farm workers by occupational title preprinted on the survey questionnaire. And two, self-employed farmers were identified by referring to the 1969 Oregon Census of Agriculture. One self-employed farmer or rancher was counted for each type of farm or ranch identified, e.g., Farmer, Cash Grain. Since the type of farm or ranch was listed by gross sales volume this factor also was taken into account by counting only those farmers or ranchers who had gross sales over \$5,000 for the year. Those under this minimum were excluded in order to eliminate those farms or ranches that tended to be "hobby" farms or ranches, and therefore did not represent firm self-employment opportunities for the entrepreneur.

#### EMPLOYER SURVEY PROGRAM TO BE REVISED

Recognizing the weakness of the employer skill surveys used to collect the employment estimates in 1969, Oregon in 1970 agreed to be one of nine states to participate with the U.S. Department of Labor in its first attempt to implement the new Federal-State Occupational Employment Statistics (OES) Program. The need for this cooperative

<sup>4</sup>The farmers insuring their on-farm workers with SAIF did not represent 100 percent of the farmers in Oregon since farmers can insure for workmens compensation with any comparable insurer; however SAIF was known to be the insurer for the majority of Oregon farmers. Using SAIF as the basis for sampling also eliminated the possibility of surveying the same farmer twice.

ERIC

system was generated by the increasing demand from economists, manpower analysts, and education planners for current and reliable data on a national, state, and local area basis. The OES program is designed to collect occupational employment statistics on a regular recurring basis that will provide reliable industry and occupational employment data. 5 As such, the occupational data supplied by this collection system will produce for Oregon and other participating states a comparable employment series by occupation that will provide a means for systematic manpower planning.

## DISSEMINATION OF MANPOWER INFORMATION

The manpower summaries for each cluster area were distributed as they were completed both before and during the project. Individuals and groups receiving them included local district career and vocational program planners, deans of occupational education at the community colleges, chairmen of the vocational divisions of these two-year colleges, each of the 16 career education regional coordinators in the state, occupational program and curriculum specialists at the Oregon Department of Education, Career and Vocational Education Section, manpower planners for the Comprehensive Employment and Training Act (CETA) prime sponsors, and members of the Oregon Council of Career and Vocational Administrators (OCCVA).

Intensive in-service workshops are planned for all secondary and community college districts and Comprehensive Employment and Training Act prime sponsors and their staffs during 1976 and 1977. These will be conducted, however, only after the OES program is fully implemented and the Career Program Planning System has been updated with the new OES job titles and employment estimates. This update will result in the CPPS and the second edition of the manpower summaries for each career cluster having significantly fewer occupational job titles. For instance, the CPPS presently lists 2,793 job titles. Once the update is implemented CPPS will have no more than some 1,500 job titles. In addition, the new titles will be identified as OES titles. In the past the titles have been DOT titles.

ERIC Full Tox Provided by ERIC

The OES program requires the use of a specially designed questionnaire for each industry surveyed. This questionnaire lists the choices of occupational titles to which the employer may respond, along with an accompanying job description. A special section is provided to identify new and emerging occupations.

Obviously this reduction of titles eliminates the degree of specificity previously available in each cluster area, but now provides much greater reliability for each title listed and certainly much greater validity for the accompanying employment and need estimates. However, some problem still remains because of the broadness of the title. For example, the new DES title CASEWORKER will now include such DOT titles as medical social worker, psychiatric social worker, parole officer, group worker, et al. has created some preliminary problems because two of the titles are in the health cluster and two of the occupations are in the sermice cluster. However, the problem does not seem insurmentable and is expected to be resolved, although not without some degree of difficulty. The purpose of the in-service activities when conducted will be to enhance the career and vocational program planning skills of the participants. Counselors from all educational levels, as well as CETA manpower planning staffs also will be invited to attend to enable them to become more aware of the occupations classified within a specific cluster area. An avareness of this type of information can then be used to counsel students into those educational programs where job opportumities exist, as well as those areas that are of interest to the students.

The information can also be used by the participants to help place students into those occupational areas where significant employment opportunities exist.

#### ONGOING EVALUATION AND REVIEW OF THE MANPOWER SYSTEM

Mraditionally manpower demand and supply systems have been a one-time affair. Publications have been written once, and used for the next five years with little attention to the fact that the labor market may be experiencing trends in employment opportunities that necessitate possible changes in existing vocational program offerings. So that this will not happen im Oregon, the Career Program Planning System and related manpower summaries will be updated annually, along with new five-year employment and need projections from the year of the annual study.

Present plans are to reduce the numbers of local administrative planning districts being supplied manpower estimates from six to four. Districts 6, 7 and 12, representing Douglas County; Coos and Curry Counties; and Gilliam, Grant, Morrow, Wheeler and Umatilla Counties will no longer have employment estimates made for them. However, manpower estimates will now be gathered for District 8 which includes Josephine and Jackson counties. Districts 2, 3



and 5 will continue to have local employment estimates provided since they represent the three standard metropolitan statistical areas in the state.

Two other activities will be included in the ongoing review and evaluation process of the manpower system. These include a careful assessment of the detail of occupational job titles to insure that the new OES titles are not so broad that they are of little value for vocational program planning, and a refinement of the present method of estimating supply. Activities are already underway to insure improvement in these areas.

#### TASK ANALYSIS

Depending upon employment projections, priorities are identified in order to determine which areas need instructional materials based on task analyses.

Task analysis is the essential process upon which vocational curricula is developed. In essence, a task analysis is an inventory of every conceivable task that a worker in an occupation might perform. While it is possible, indeed probably that the student will neither be trained to nor actually perform all these tasks, it is essential to determine what they are so that legitimate decision can be taken about what should and should not be included at various instructional guide levels, whether they be used for secondary, community college, private schools or apprenticeship Each task in an Occupational Analysis is analyzed training. to determine whether it is an entry level task. Entry level refers to those abilities which the employee normally has when applying for the job. If it is not necessary to be able to perform this task to get the job, it would be marked "on-the'job", meaning the task can, or will be, learned after employment. Refer to Appendix A for a sample task analysis.

All task analyses in Oregon are screened by a committee of persons who are presently working in the respective occupation. This assures relevancy to the present-day "world of work". The task inventory in final form is the key hypotheses upon which a vocational program should be based, implemented, and tested. It is the basis upon which all competency-based instructional materials are developed in Oregon. Appendix C outlines the procedures used for conducting task analyses in Oregon.

#### WORK EXPERIENCE TRAINING PLANS

The writing, compilation, and field testing of these training plans and student progress records came about as a result of the expressed need of teachers, work experience coordinators, and members of the State Advisory Committee for Cooperative Work Experience.

Task analyses from the Ohio State University, University of Texas at Austin, University of Missouri, Iowa State University, University of Northern Iowa, Central Connecticut State College, and the Oregon State Department of Education has been utilized in the formulation of the training plans.

The coordinator (or teacher) may use these training plans and progress records to design individual study programs to match a planned cooperative work experience program. The coordinator, employer, and student may use the preprinted training plan as a check-off list of on-the-job learning activities coupled to desirable related information (studies) which may be learned "in school" or "on-the-job". The items checked as related information form the basis for the student's individualized instruction program.

The pre-printed training plan should save time for the employer, coordinator, and student in deciding what the employer will undertake and what the student will do both on-the-job and in school.

The training plan is also intended as a tool to be used in counseling the student before going out for an interview with the employer. An added advantage the signed and completed training plan becomes a permanent record of the student's accomplishments and progress. Refer to Appendix G for a sample training plan.




#### COMPETENCY DERIVATION

The heart of the problem for this component of the system was to derive core competencies that are common to key occupations for an occupational cluster. In the context of this project, that problem is a matter of transforming information about each key occupation in the form of a task analysis into information which specifies what students must learn to be competitive for entry level jobs in the cluster area. This problem can be structured according to two major requirements:

- identify work performed at the entry level for key occupations
- identify work that is common to the set of occupations

Two major sets of factors bear on the problem and its resolution. First, because the problem occurs as part of a longer system of information flow, the competency analysis process must be compatible with information content and format as available for input, and with the content and procedural attributes of activities which will use competency analysis output. This relationship is depicted in the block diagram below, Competency Analysis System Environment.



Competency Analysis System

#### CURRICULUM DEVELOPMENT ENVIRONMENT

The main impact of this environment is its definition and structuring of input data. For example, the most significant factor affecting the content of input task analyses is the experience, ability, and thoroughness of whoever makes out the list of task statements, the task analyst, for each key occupation.

At this step, the preceding "task analyses" were already completed. Accordingly, major emphasis was given to development of a competency analyses process which would accept and use available data and would not require starting over on task analysis, at least for the pilot cluster, Electricity-Electronics. (Several major deficiencies in task analyses were noted and the task analyses process was modified based on those findings.)

It is particularly important to an understanding of the problem to realize the burden upon this total communication process (from the world of work to the aspiring student) brought about by the present limits of language and data handling.



These constitute the second set of factors bearing on the problem. At best, a task analysis is an outline of the work performed by a worker. Each task statement is a clue to the competency analyst as to required skills and knowledge. It is easy to state three or four sophisticated tasks for an occupation which imply a mastery of most of the skills and knowledge for the entire cluster. However, a set of such statements would be an ineffective message to the curriculum designer who must arrange a meeting between work requirements and student readiness. So task statements to be used for input to curriculum are spelled out in much greater detail. (See Appendix A, Sample Task Inventory)

This strategy is essentially one of allocating a greater number of symbols per unit of information. Rather than three or four global tasks, our task analyses consist of several hundred more detailed statements for each key occupation. But the actual flow of information desired takes place mostly by implication. That is, a reading of one task statement by the competency analyst implies skill and knowledge requirements by helping him to "target" or select from information already in his possess, and the notion that the symbols themselves "contain" information is not adequate.

A more effective concept is that of the fence post. Each word of a task statement acts as a flag for the analyst, helping him to construct a set of boundaries within his own domain of knowledge about work performed in the cluster area. Once those boundaries are established, providing a subdomain of work performed for the task at issue, the competency analyst then uses that subdomain as his guide while scanning the related domain of skills and knowledge, to construct a new set of boundaries which defines or identifies the particular skills and knowledge required for task performance.

Because this series of steps involves a great many semantic uncertainties and a complex of behavior sampling problems, the introduction of professional jargon and other additions to lay language usually is counter-productive. It is for these reasons that the competency analysis process developed as a part of this project operates almost enclusively with lay language.

This constitutes a departure from the usual practice of classifying tasks according to behavioral categories. Our early studies of the feasibility of this general strategy indicated that any set of categories simply cut off the flow of information desired.



For example, selecting a group of tasks under the heading "Decision-Making" focuses the competency analyst's attention upon that category of behavior for that group of tasks. This cuts off the desired flow of information in two ways. First, he tends to ignore other aspects of skill and knowledge required for that group of tasks. Second, he tends to ignore decision-making in his analysis of other task groups. Further, every task includes the behavior identified by almost all categories of behavior suggested by most sets of categories. This dilutes a relatively clean-appearing selection problem into much more uncertain processes of estimating degrees of importance of one category over others, or combining categories according to complex rules, or assigning weights for each category to all tasks.

Finally, the output of a classifying operation is a new language intermediate between that in which the tasks are stated and that used to specify skills and knowledge. That is the result is to inject an additional step between task statements and skill/knowledge specifications. Accordingly, the competency analysis process developed for this project stresses the facilitation of information flow from task statement to competency statement. The process produces a set of competency statements and each answers the question, "Skill and Knowledge about What?" The statements are supplemented with additional information which specifies characteristics and conditions of the work situations identified, which are common to the key occupations of the The goal for the competency analysis portion cluster area. of the Project was to develop a process whereby core competencies for each occupational cluster area could be derived.

These were termed "common competencies" and would be suitable in format and content for subsequent instructional analysis. Both of these activities were to be carried out by a central staff of State specialists and consultants and the information produced would then be distributed around the State as the nucleus for more localized curriculum development.

Several activities were defined to structure the development activity.

- Activity 1. Review methods which might be applicable to the problem, and select or design a method meeting local needs.
- Activity 2. Review development results already produced to inform the selection and design activity identified under Objective 1.



- Activity 3. Determine specific criteria to be met by the process under development.
- Activity 4. Emphasize as a requirement on the process, that it be replicable. That is, produce a process which will yield the same common competencies in successive operations upon the same input data.
- Activity 5. Use electronic data processing as much as possible to handle the logistical burden of working with thousands of pieces of information.
- Activity 6. Develop a process which can accept and use available task analyses with a minimum of re-work.

STEPS TOWARD COMPETENCY ANALYSIS In accordance with the nature of the problem and objectives as noted in previous sections of this report, development of the competency analysis process proceeded in the sequence shown in the following block diagrams. A short discussion of activity as indicated by each segment of the diagram follows.

Determine basis for grouping similar tasks

Mesign an information handling procedure to detect and group similar tasks

III
Develop Computer
Processes required
to implement the
procedure

procedures to use Machinegenerated information

35

In these discussions, the term "common" is used to refer to the occurrence of tasks or task characteristics in more than one of the key occupations for the cluster; i.e., a "common" task or task characteristic is one which occurs in two or more key occupations. The term "similar" refers to tasks which are identical or alike in one or more ways.

I. Determine Basis for Grouping Similar Tasks

Three methods were explored. First, an attempt was made to process task statement text with the KWIK Index computer program. Second, task classification was tried using several versions of a list of work processes. Details of these two approaches were included in Application for Federal Assistance. Neither approach produced results which could be easily interpreted by staff or consultants regularly available, and the methods required to generate the content and



format of information suitable for Instructional Analysis and administrative uses were judged to be not replicable.

Groups of tasks produced by the KWIK Index required too great a dependence upon subjective work by the competency analyst. Classification of tasks required too great a dependence upon subjective work by the task analyst.

In the course of testing and attempting to refine these approaches, the problem became somewhat better understood. Accordingly a third approach was developed which, while not rigorous, groups task statements by a replicable method, is flexible enough to be applied to all clusters and used by available staff, and is sufficiently sound to be adapted and improved as needed. Several constraints and problems noted in testing the KWHK index and "work-processes" became guidelines to the design of our new approach. Guiefly, we noted the following:

- An inability by staff members to agree upon kinds or types of tasks. Neither method offered a reliable task coding scheme nor did either present a convenient way to account for response set and lack of intervoter reliability.
- b. A limit of from 40 to 60 task statements on the ability of staff to scan and report. Faced with several thousand of these terse statements, the competency analyst would instinctively try to group them, but his criteria for grouping them would change during the work.
- c. A deficiency in understanding of the objective of competency analysis. It became increasingly difficult to prepare adequate instructions for test personnel, when an example of a "common competency" could not be produced.
- d. A misinterpometation of the readiness of curriculum specialists to "let the computer" make decisions. Educators are wary of dehumanization in their work.

These observations helped to establish a need for a procedure that would permit step-by-step visibility to the analyst, of each phase in the process for deriving statements of competency and would permit a careful review of similarities and differences across the input of different people. Major emphasis was given to organizing subsets of task statements to facilitate scanning, and to provide a preliminary or pre-analysis of competencies.



It was also noted that agreement among analysts increased as the focus of attention was moved away from abstractions about worker behavior, and toward more concrete task characteristics, and that was much easier to agree on the answer to questions about tasks than it was to supply task characteristics without the guidance of a question to which to respond.

An informal task model, covering input, action, and output was drawn up and a preliminary set of questions about each of the three task phases was written. Based on a subset of 16 of these questions, a small selection (88) of task statements were grouped according to strings of questions answers as a rough feasibility demonstration. Review of results indicated that task statements could be grouped in this way so that known similarities among them are directly indicated without cutting off the flow of information mentioned in discussion of the problem above.

Some general estimates of the differentiary power of the set of Housestions indicated that unless these questions and response options were answered with complete consistency, groups of task statements far too lengthy for scanning might be produced from input consisting of over a thousand statements. While response consistency was greatly improved over our experience with classifying tasks, there was little in the results to indicate that it could be considered as utterly reliable. Therefore, the number of questions was virtually doubled for the full demonstration test. The test instrument is attached as Appendix B.

The set of blanks at the top of the page are filled in by the respondent. A simple recording sheet (not shown) is used by the respondent and record his responses in a form that is convenient for keypunch. It is very rough and our experience with it suggest several modifications. All of the questions offer either high-contrast response options, or general estimates as options. These features reduce the chances of disagreement among respondents, and also greatly accelerate the answering or "coding" process. Respondents with about two hours of experience, plus some initial orientation, usually average from three to five minutes per task statement.

It must be noted that all the questions are relatively indirect as regards workers behavior or skill and knowledge. The effect of the questions is to establish a fairly reliable



basis for grouping tasks that are "similar" because responses to the questions are identical or similar for some subset of the total population of task statements for the cluster area. However, no information implied by the task statements is "lost" through classification. The competency analyst is presented with a group of statements in the original test as well as with a profile of task situation characteristics accompanying each statement. He can see at a glance the basis upon which these statements are grouped, and where all the profiles (or patterns) of responses are not identical, the differentiating characteristics stand out clearly. Finally, because responses are coded numerically, a body of data amendable to machine processing is generated.

- II. Design an information handling procedure to detect similar tasks.
- III. Develop matching processes required to implement the procedure.

These two phases of development are treated together because work proceeded in both simultaneously.

First, a listing was produced of all tasks with identical patterns of responses. This made use of about a third of the total of 1140 task statements, and produced 142 groups of tasks. No group included tasks from more than one occupation excepting a high frequency of tasks for Radio Repair and TV Repair. At first, this result was discouraging because it was attributed to dominant response set effected while carrying out the tedious work of coding answers to the questionnaire.

A spot check item analysis was worked out whereby the differences between groups are used to assess the consistency with which responses have been coded. The worksheet for this step is attached as Figure 5. The section of data at the left identifies task groups being compared (in reference to the groups of duplicate tasks mentioned earlier). The column labelled "Frequency" gives the number of times this occupation and block occurred in the specified task group. The column labelled "item" refers to the questionnaire identifying the specific question which has indicated a difference between the two groups of tasks. The next column further amplifies the nature of that difference by displaying the specific response change between the two groups. In using the



worksheet the analyst writes in one or two words drawn from the respective task statements which most clearly specify the nature of each of the differing tasks. He is then able to review the response changes across a variety of task groups and determine the validity response selection. His results are used to eliminate inconsistently answered questions, and "collapse" ambiguous response options.

The spot check indicated that the response set was strong, but only as it turned up in the original task statement writing. For example, the Radio Repair statements were apparently reviewed by the State's consultant who write the task inventory for TV Repair. This finding led to further discoveries of response set within each occupation and subsequent review of the consistency of responses has largely shown that tasks which elicit patterns of nine responses or more which are identical are indeed quite similar tasks. The worksheet was incorporated as a part of the procedure because of its convenience as a pre-analysis of grouping patterns. Using the worksheet, a relatively naive analyst can precisely locate two troublesome sources of problems in the coded data:

First, it is easy to detect questions which carry little information. They are answered with the same response for almost all tasks. For example, in the test cluster of Electricity-Electronics the worker has electrical energy available for use in virtually all tasks.

Second, it is also easy to detect inconsistently used response options. Often it is quite clear that the reason lies in poor wording of the question or responses, or in some other aspect of the coding work.

Results of the pre-analysis are used to override deficient data in subsequent processing. Two override capabilities are used. First, questions can be ignored entirely by the machine. Second, responses can be combined in such a way as to retain valid data and ignore the invalid. For example, if responses 2 and 3 to a question are used indisriminately, they can be "collapsed" so that the question subsequently appears (to the machine) to offer



	Figure 5
5111	E DEPARTMENT OF EDUCATION
Ľ.	PHLANALYSIS WORK SHEET

PAGE NO

·	FREQUENCY CMS	7HD	lītm	FESHONSE CHANGE	CONTRAST KEY WORDS VALIDITY	
04			11 19	- 1 1- 5		
e e			3 4 6 10 11 14 16 17 18 19 20 22 31	- 1 - 3 d- 1 - 7 1- 1 2- 3 1- 2 1- 4 2- 7		
<b>n]</b>		· · · · · · · · · · · · · · · · · · ·	12 14 10 17 18 19	1- 3 1- 3- 2 2- 3 4- 5 4- 3		
01		<b>.</b> .	3 6 8 10 10	1- 7 3- 1 1- 7 3- 1 4- 3- 1 5- 1		<b>52</b>
			18 19 20 23 31	3-1 ? 4- ? 2- 4- 1 2- 4		



these responses, (0,1, and 2/3( rather than the four originally offered (0,1,2,3). A response frequency table (attached as figure 6) is very helpful in this spot check or preanalysis. On the sample figure response number referring to the questionnaire is printed across the top and question number at the left side. Note that a "zero response" is significant. The numbers printed under each response number give the frequency of that response for the question indicated at the left. Note also that this number is also a statistic which implies response commonality for the cluster.

A second attempt to produce preliminary groups of tasks was derived from the frequency table. The questions were sequenced according to response frequency. The question having the response with the highest frequency put first, the question having the response with next highest frequency was put second, and so on until all questions had been accounted for by this process.

Next, a simple formula was developed to describe the density of identical task-situation characteristics for each of the "frequency-based" groups. Parameters are:

- number of tasks for which a response is identical
- number of tasks in the group
- number of questions with identical responses.

These three parameters were varied to establish the following criteria of similarity:

- 1. Responses must be identical for at least 10 per cent of the tasks in the group.
- 2. The group must consist of between 20 and 95 tasks.
- 3. With criterion 1 accounted for, at least nine characteristics must be identical.

Any set of 12 (or more) responses meeting these criteria is then taken as a Master Pattern, and used to retrieve tasks having a minimum of nine identical



Figure 6
STATE OFFICENTIAL OF ENUCATION
OF SPONSE OF OUESTION
CLUSTER IN OCCUPATION DUTY

-1			4			!			-1(1						
249		-			114	(-1	331	23	• •	-11	16	1314-	 16	11	
819					,,-	. ,	3.71	23	,	50					
533	49	237													
1	. 6	851													
125	504	524													
H15	4	2													
300		133													
71	5F5														
		232													
50															
305															
322	4	24 550	30	4											
۱۱۵ ۱		55(r		۷,											
Iua.	76H														
765		93													
699	33		114		7							,			
53	601														
34	560		100												
50	222														
	237	421								*	1.5		 		
421 769	474	3	מ					•							
615	519	24													
45	10	14													
18	150	5	4.										•		
207	1 51,		44												
207															
850	2														
850 773	2 6														
		251	61.4												~ ~
		£ 71	1111-4												55
						•	•						'		

ERIC

responses, from the total file. In most cases, these sets of tasks bridge several occupations. These sets of tasks along with the task-situation characteristics, abbreviated to one or two words, are printed out for review of the competency analyst and for his use in writing statements of competency.

In addition, a modified set of criteria are used to elicit Master Patterns from the smaller groups of tasks as organized in the preliminary groupings. Groups as small as five tasks are considered. This secondary set of Master Patterns is then used to retrieve similar tasks and this process usually produces task groups which do not bridge several occupations. Commonality is attained by associating each secondary group with one or more primary groups which has the effect of amplifying the more general competencies based in the primary groups.

As might be expected, the procedure as described above does not account for all tasks in the file. Some tasks are not duplicated and so do not occur in the preliminary groupings. Retrieval based on primary and secondary Master Patterns picks up a substantial number of these because complete duplication of task-situation characteristics is not a requirement at this later state of the procedure. However, there may always be a residual of task statements which should not be allocated to groups by machine. Two final steps are therefore, added to the procedure to insure that skills and knowledge requirements implied by this residual of tasks will be considered in formulating the statements of common competency.

First, the competency analyst reviews the residual statements and subjectively allocates each to one or more of the machine derived task groups.

Second, a commonality report for each response is printed from the machine-readable file. A sample report is attached as Figure 7. On the sample, the left-most column presents question number (referring again to the questionnaire), the next column presents response option number (blank=no response) and the third column presents the frequency (referring to the frequency distribution). Thus, response 3 to question 5 was the most frequently used of all the responses. This report presents data which is representative of every task in the file.



Figure 7
STATE DEPARTMENT OF EDUCATION RESPONSE ORDERED FREQUENCY

QUESTION	ANSWER	COUNT
5	3	851
29 7	1	850
11	1	815
25		808 797
30	1	773
23	i	769
16	i	765
15	1 2 1 2 2	736
14	2	731
17	1	699
3 9	2	694
. 26	4	694 652
27		651
28		651
20	2	642
1.0		-626
24	1	615
31	4	604
12 -> - (55.4	•	553
	1 3	533 524
ै । 13	3	472
55	2	425
21	3	421
. 55	1	421
8	1	390
19	2	357
8 13	•	335
18	1 3	322 320
iž	1	305
	ė	296
5	ī	279
18	ž	276
4	3	237
21 24	1 3 2 2 2	237
<b>24</b> 6	2	219
18	~	209 204
19	5	203
27	ĭ	202
28	1	202
21	ī	198
20	_	196
10	2	185
19 26	4	160
31	4 2 2	150 148
6	1	125
		*




Computer instructions, programs, and printouts were developed in conjunction with the activities already described. It would be misleading to overlook the advantages of close teamwork with the System Analyst in this regard. Fast turnaround and feedback of ideas in concrete form was in all instances both stimulating and comforting.

All processing of information up to the point of actually writing statements of common competency has been reported above. Figure 8 summarizes the man/machine procedure.



# Figure 8 PROCEDURAL SUMMARY





# IV. DEVELOP MANUAL PROCEDURES TO USE MACHINE-GENERATED INFORMATION

Input to this phase is the series of printouts outlined on the previous illustration. It consists of:

- 1. Primary groups of similar tasks
- Supplementary groups of similar tasks.
- 3. Response commonality report
- 4. Non-selected tasks
- 5. An additional set of 1-4 (above) restricted to tasks coded as "Entry Level."

Thus this input constitutes an analysis and loose organization of the original lists of task statements. The final manual process of developing competency requirements or statements is described below and illustrated with samples of the actual input produced for the demonstration cluster, Electricity-Electronics, as assembled for Master Pattern #1. (The illustrative printout samples have been compressed to fit report format requirements.)

Figure 9 is a facsimile of the printout of the 36 tasks retrieved using Master Pattern#1(only fifteen tasks shown). This is the basic display of task information used throughout the competency analysis process. At the left are the four parts of the unique task identification number arranged as shown immediately under the run date; i.e., starting at the upper left and proceeding clockwise, the first number is Cluster (C) the next is Occupation (O) the next is Task (T) and finally the Block (B). Thus the first task printed in the body of the display is from cluster 10, key occupation 07, block 01, and task number 30 (of block 1).

The task statement follows with room provided for two lines of print. The table of data at the right consists of question numbers across the top and response option number in column listed opposite each task statement. Thus for task 20, block 1 (the first shown) response option 8 was used for question 2. Figure 10 is a copy of the form used to collect and organize informaton from the lengthy printout.

In the demonstration cluster 10 primary groups of tasks were developed by the man/machine process. Two of these groups were sub-divided so as to identify 17 primary-group narrative summaries. Thirty-three supplementary-group narratives were developed in the same fashion.



Figure 9 STATE DEPARTMENT OF EDUCATION

TASK ANALYSIS VERIFICATION

STATE DEPARTMENT OF EDUCATION PAGE NO 1

TASK	DESCRIPTION	234567	8901	23456789	0 1 2 3 4 5 6	78901	
VISUAL INSPECT OF APPL FO	R DAMAGE	8 1 2 3 3 1	2	1 3111	2212	114	
FUNC OF COMPONENTS IN AM	IF AMP	8 1 2 3 3	5	3 1 1 1	3 1 1 2	1 1 4	
THE FUNC OF COMPONENTS I	N AVC CKT	81233	2	3 1 1 1	3 1 1 2	114	
THE FUNC OF COMPONENTS A	UDIO PREAMP	81233	2	3 1 1 1	3 1 1 2	1 1 4	
FUNC OF COMPONENTS IN DR	IVER AMP	81233	2	3 1 1 1	3 1 1 2	1 1 4	t the America
SFUNC OF COMPONENTS IN AU	DIO QUTPUT	01233	2	3 1 1 1	3 1 1 2	1 1 4	
FUNC OF COMPONENTS IN FM	IT AMP	8 1 2 3 3	2	3 1 1 1	3 1 1 2	1 1 4	
FUNC OF COMPONENTS IN FM	DET	81233	2	3 1 1 1	3 1 1 2	1 1 4	•
FUNC OF COMPONENTS IN ST	EREO DEMOD	81233	2	3 1 1 1	3 1 1 2	114	
FUNC OF COMPONENTS IN PW	R SUPPLY	8 1 2 3 3	2	3 1 1 1	3 1 1 2	114	****
FUNC UF COMPONENTS IN TO	NE CONTRUL CKT	8 1 2 3 3	2	3 1 1 1	3 1 1 2	114	
OPERATIN CHAR OF RECT CK	т	8 1 2 3 3	2	3 1 1 1	3 1 1 2	1 1 4	
TYPE OF FILTER USED AND	ITS OPER CHAR	811331	2	3 1 1 1	3 1 1 2	114	62
TYPE OF VOLTAGE REG AND	OPEH CHAR	81233	2	3 1 1 1	3 1 1 2	1 1 4	
VOLTAGE DIVIDER NETWORKS		81233	2	3 1 1 1	3 1 1 2	114	



6/76

Several were more closely related to Master Pattern #1 tasks, than to any of the other 16 groups. In this case, no change to the narrative summary was required. However, for most other primary narratives some degree of modification was necessary so that the final narrative included sufficient amplification to subsume the specific skills and knowledge implied by all the associated supplementary groups.

In addition, about 25 tasks which had not been retrieved by the man/machine process (non-selected tasks) were allocated to this summary, and some further modifications to the narrative were required. All non-selected tasks were accounted for by associations them with either primary or supplementary group (s) or with a final summary narrative.

NOTE: A quick review of the manual procedure outlined above will make clear the nature of the process involved. Even though a particular group of tasks may appear somewhat at first glance because they are drawn from different occupations, use of the work situation correlated data enables the writer to effectively single out those aspects of the tasks which are "common". He then scans the original task statements to summarize task operations correlated with the "common" situation and state generally, the subject of the operation—that which is worked on.

Finally, a similar set of summaries is written for the Entry Level tasks. The last step in the write-up procedure is to compare total cluster narrative summaries with entry-level summaries. This comparison provided three results:

(a) Some entry-level summaries are clearly related to one total cluster summary. In these cases, the narrative summary must be finally revised in line with the less demanding requirements for performance skill and knowledge indicated in the entry-level tasks and summaries.

This yields a specification of work competency common to several occupations in the cluster in terms of behavioral operation and what is worked on at an entry level of competency mastery.

(b) The second result is that some entrylevel narrative summaries are associated about equally with more than one total cluster narrative summary. In these cases,



# Figure 10 TASKS WHICH MATCH MASTER PATTERN #1 (Preliminary Summary of Performance Indicators)

arrative Summary	2. Commonality Data	3. Task Similarities Task Differences	
dentify function of components in complex ideo or radio ssembly such as TV	36 tasks 1 appliance repairmen (damage inspection)	a. medium/product: task no exceptions; circuits is on (2,19) worked only difference -information on function of hardware	
ertical output mplifier or radio one control ircuit	10 radio repairmen 25 TV repairmen (identify function of components)	b. material resources (5,6,7,8,10,11,13) -site varies -no tools or equipment -no materials or parts l insignificant factor	e e e e e e e e e e e e e e e e e e e
		c. information resources (3,4,9,12,15,16,17,18, 19,21,29,30) -oral instruction	65
·		d. operations -from 10 min to one hr. 1 exception;10 min or under -few steps before set- no exceptions up; several after -no calculations " -1 final test and 1 form " -few or no interpersonal " dependencies -routine worker interactions "	



it was usually required that most of the total-cluster narratives be modified somewhat. NOTE: The reason for this is that the relationships between entry-level and total-cluster narrative summaries are not all the same. For example, in one case the entry-level requirement may include fundamental knowledge also required by the total-cluster work specificaiton. In another case, the entry-level requirement may constitute performance needed to expand knowledge as a part of the learning of a total-cluster competency.

This final modification yields a specification compatible to those produced by step (a) above.

(c) The third result is that some total-cluster narrative summaries do not readily and clearly "fit" any of the available entrylevel specifications. For the demonstration cluster these fell roughly into two groups; i.e., a group of work specifications clearly beyond entry-level in terms of degree of complexity or technical knowledge and a group clearly beyond-entry-level in terms of worker autonomy. This latter group included a considerable range of technical subject matter, but clearly required a maturity in self-direction in the working situation, beyond entry-level capability.

In terms of the illustrative example for Master Pattern #1, the preliminary summary shown in Figure 9 was modified in two "dimensions" by the procedures just described. First, the variety of equipment worked on was broadened. Second, the sophistication of required behavioral performance was sharply reduced. The result was as follows:

# Final, Entry-Level Common Competency for the Electricity-Electronics Cluster

Accurately describe the general function of simple, electrical, electronic, and mechanical components of common radio equipment on household appliances or appliance controls, such as a transformer, a condenser, or a circuit breaker.



#### RECOMMENDATIONS

The following recommendations include those items which seem to be keyed to the successful development of a manpower/curriculum base for purposes of program planning and development.

- (1) The manpower system should be developed on a common competency-base cluster concept. What comprises a common competency should be defined at the beginning of the project.
- (2) The Dept. of Education should clearly define the clusters it will include in the manpower system. Reasonable minimum employment and job opening limits should exist for a cluster group of occupations to qualify as a cluster.
- (3) The Dept. of Education should encourage the State Employment Division to use (a) structured questionaires and (b) the Bureau of Labor Statistics occupational projection formula for job openings. Preferably each state should participate in the Fed-State OES Program.
- (4) The USOE publication Vocational Education and Occupations should be used to classify the occupations by USOE instructional program area.
- (5) Volume II of the DOT should be used as the source to identify the universe of occupations.
- (6) The supply component of the manpower system should include as minimum accurate public secondary and post-secondary output. If possible, only graduates "available for placement" should be included. This may be obtained by student followup surveys.
- (7) Once the manpower system is completed, a plan should be devised to disseminate the information, including provisions for evaluation and feedback.
- (8) Persons presently in business or industry should be inserviced and contracted to compile task inventories instead of teachers, as too often teachers tend to be biased and want to include the "how and why" rather than staying



- to the specific tasks needed to hold employment in the occupation.
- (9) Occupational screening committees should reflect state-wide employment rather than be limited to a specific geographical area.
- (10) Even though individuals from business and industry are often willing to assist education, quicker response to end products is usually obtained if the individual is contracted and paid for services rendered.
- (11) Individualized modules should facilitate various "modes of learning" to increase student interest and learning retention.
- (12) Individualized modules should include as many attractive illustrations so as to appeal to the learner.
- (13) In order to increase teacher use of learner modules, they should be designed in a systematic delivery system including pre and post-tests, accompanying multi-media, diagnostic and prescriptive instruments and recordkeeping materials.

# Appendixes

magnag



APPENDIX A
Sample Task Analysis



# \*TV SERVICE AND REPAIR

# **OCCUPATIONAL ANALYSIS**

State Department Code # 1010 U.S.O.E. Instructional Group Code: 17,150300 D.O.T. # 720 281 018

### NCIPAL INVESTIGATORS

e Department Specialist:	JOHN HAVERY	_
riculum Staff Assigned:	JERRY LUDLOW	
k Analyst (s):	BOB LEHMAN	
Analysis Completed:	AUGUST 1975	

\*NOTE: This occupation is a key occupation in Oregon as identified by Oregon Criteria. 56



# **TASK INVENTORY REVIEW COMMITTEE**

JAMES A. ROLISON--ELECTROMATIC, INC. (PORTLAND)
GEORGE MAGER--ELECTROMATIC, INC. (PORTLAND)

MR. PARKER--A-P TV (OREGON CITY)

HENRY "BUD" RIMMER--MC NAUGHTON'S MILWAUKIE TV (MILWAUKIE)

GENE MC NAMEE-SEARS ROEBUCK & CO. (PORTLAND)
JIM GOODKNIGHT-SEARS ROEBUCK & CO. (PORTLAND)

DON SPORE -- SUNSET TV SERVICE (PORTLAND)

TOM BULL--TOM'S TV CLINIC (LAKE OSWEGO)
DENNIS DUNLAP--TOM'S TV CLINIC (LAKE OSWEGO)



OREGON DEPARTMENT OF EDUCATION 842 LANCASTER DRIVE N.E. SALEM, OREGON 97310

VERNE A. DUNCAN SUPERINTENDENT OF PUBLIC INSTRUCTION

JAMES W. HARGIS COORDINATOR, CURRICULUM DEVELOPMENT CAREER EDUCATION



Page	1
------	---

INSTRUCTIONS:

List each manipulative and knowledge skill relating to the job noted above. To the right of each task is a series of columns asking specific questions about the entry level, level of difficulty, frequency, and type of skill involved. Place an "X" in each of the four categories opposite the task description. (Definitions on back).

TV Service and Repair

Level of

Difficulty

Job Title

Bob Lehman

Entry Level Ana!yst

Frequency

						oderate	ficult	all Amount	erage Amount	eat Amount
Dut No	Tasi No.	Task Description	1							·
		Runs Trans Line in the Attic	X	-	×	-	├	x	├	$\vdash$
1	1	Price out service charges on order	† <del>-</del>		×	<del>                                     </del>	-	╁	├	x
	2	Price out materials charges on order	X	-	×			+-	├	$\frac{\hat{x}}{x}$
	3	Figure repair time	$\frac{1}{x}$		×	-	├─	+-	├	
	4	Write understandable report of work done	$\frac{\hat{x}}{x}$	$\vdash$	×	-		+-	<del> </del>	×
<b>_</b>	5	Make out warranty forms	x	-		×	<del>  -</del>	1-	$\vdash$	X
	6	Schedule service calls by priority	X	-	×		$\vdash$	╁		X
	7	Schedule service calls by geography of area	x.	_	×	<u> </u>	$\vdash$	╁		×
	8	Inform customer of charge	$\frac{1}{x}$	_	×		$\vdash$	+-	├	X
<b></b>	9	Question customer without offending	$\frac{1}{x}$		- <u>:</u>	}	_	1	<del> </del>	x
	10	Take customer order for service	X	-	×			<del>                                     </del>	<del>                                     </del>	×
<u></u>	11	Ident warranty status of parts of labor	† ·	x	)X		<del>                                     </del>	<del>                                     </del>	-	
	12	Use parts catalog to order replace part	x		X	┢	-	+-	<del>                                     </del>	X
<u></u>	13	Fill out work order correctly	x		X	<del>                                     </del>	<u> </u>	+-	<del> </del>	×
	14	Sensitive to customer response	$\frac{1}{x}$		├~	x	<b></b> -	1		X
1-	15	Use correct spelling	x	$\vdash$	x	<b> </b> ^ :	_	t		X
<u> </u>	16	Legible Handwriting	$\frac{1}{x}$		×	<del>                                     </del>	<del>                                     </del>	-		X
	17	Personal Hygiene	x		X		$\vdash$	f	-	X
	18	Add columns of numbers	x		X			$\vdash$		X
	19	Figure percentages	$\mathbf{x}$		×		<u> </u>	t		x
	20	Subtract discounts	x		x			╁──	-	
2	21	Make change correctly	x	$\Box$	x	-		╁		Х
	22	Explain work done in lay terms	x		X		-	<del>                                     </del>	$\vdash$	X
			1		-		_	<b>-</b>		X
								$\vdash$		$\neg$
2	1	Deliver customer's set	x		×				-	
-	2	Drive delivery truck	$\mathbf{x}$	$\neg$		x	$\vdash$	1	$\vdash$	x
	3	Operate moving dollies	x	$\neg$	×	^	-	<u> </u>	ж	_
	. 4	Locate delivery address	х		x			<b>-</b>	Ĥ	$\dashv$
	5	Remove and drive screws	x		x					X
	6	Remove and tighten bolts	x		X					X
	7	Connect and disconnect elect jacks and plues	x						<del>  </del>	X
	8	Dress or position wiring	x		x x	-		X		x
	9	Use wiring diag to make electric connect	x		x					X
	10	Use assembly and disassembly instructions	x		x					
	11	Relate picture defect to cust cont misadi	x	-	x					X
	1.2	Relate sound defect to cust cont misadi	x		x					X
	13	Correct pic defect by adj customer controls	x	+	x	$\neg \uparrow$				X
	14	correct and defect by adj customer controls	x		x					X
	15	Instruct customer on correct use of controls	x	十	x				I	X
	16	Relate pic defect to service control misadj	x	-+					<del>^</del>	
	17	Relate sound defect to serv control misadj	x x	-+	X					X
Š	18	Correct pic defect by adj service controls	X X	十	X	+			·  -	Χ.
80 J		octivite controls	<del> ^-</del>	-	×	+				Х.
0				+			-1			

Page 2	Page	2
--------	------	---

TV Service and Repair

Level of

Difficulty.

Job Title

Frequency

INSTRUCTIONS:

Bob Lehman

Entry Level

List each manipulative and knowledge skill relating to the job noted above. To the right of each task is a series of columns asking specific questions about the entry level, level of difficulty, frequency, and type of skill involved. Place an "X" in each of the four categories opposite the task description. (Definitions on back).

Analyst

·				The Job		lerate	cult	II Amount	rage Amount	at Amount	
Duty No.	Task No.	Task Description	1						=		
2	19	Correct sound defect by adj service controls	┿	Ļ.,			L_	<u> </u>	↓	L	1
	20	Do color convergence with instructions	×	+	×			┵	×		1
L	21	Do color convergence from memory	X	╄	×	-		x	+ -	<u> </u>	1
	22	Selects correct mech fasteners ant install	<u> </u>		<u>.                                    </u>	X	_	X	<del></del>	<u> </u>	1
	23	Selects suitable location on building for ant	$\frac{x}{x}$	├	X	_		┼	X	<b>-</b>	4
	24	Makes Mech connect to wood metal or masonry	$\frac{1}{x}$	<del> </del>	X		_	┵	X	<b> </b> -	4
L	25	Selects point of entry for trans line	<del>  ^</del>	- x	X		⊢	╂	X	-	1
	26	Makes weather proof trans line entrance	$\frac{1}{x}$	_	×	-	<u> — </u>	<b>↓</b> _	X	-	┨
	27	Selects appropriate type of trans line	<del>  ^</del>	×	_	·x	١	┼-	x	<del> </del>	┨
	28	Selects appropriate type of ant	╫	L^		X	├	i	X	-	┨
L	29	Runs trans lines in walls	╅─	x			-	$\frac{1}{x}$			ł
<u></u>	30	Fishes trans lines in finished walls	+-	×	_	x	<u> </u>	<del> </del> ↑	-	<del> </del>	ł
	31	Installs lead-in terminal boxes	╁	X			$\vdash$	╁ˆ	×	<del> </del>	ł
	32	Installs imped match devices on trans line	x	┝╌	$\frac{\hat{x}}{x}$	-	$\vdash$	╁	x	<del></del>	ł
	33	Select sig gen for TV sound I F align	$\frac{1}{x}$	-	X		-	╁	H	×	ł
L	34	Connect gen for sound I F align	x		$\frac{\Lambda}{x}$	-	<del>                                     </del>	╁	$\vdash$	x	1
L	35	Connect oscope OBS sound I F bandpass curve	x	┞─	×	<u> </u>	-	1	$\vdash$		1
<u></u>	36	Ident normal or acceptable bandpass curve	x	_	<b>├</b> ^	х		$\mathbf{f}^{-}$		X	
	37	Make proper adj to correct abnormal curve	†	×	<u> </u>	x		<del></del>	$\vdash$	X X	
<b>L</b>	38	Select sig gen suitable for video I F align	x'	<del>  "</del>	×			╁╌	x		
	39	Connect sig gen for video I F align	x	<u> </u>	x		_		х		1
	40	Connect oscope OBS video I F bandpass curve	x	<del> </del>	x			$\vdash$	x		1
<u></u>	41	Connect and adj bias control supplies	x	$\vdash$	x				x		1
	42	Ident norm B + W video I F bandpass curve	† <u> </u>	×		x		<b>†</b>	x		
	43	Ident norm color video I F band pass curve	1	x		ж		1	x		
<u></u>	44	B + W adi trans + trans to norm T F curve	Ť	x	<b>-</b>	x			x		4
<u> </u>	45	Color adj traps + trans to norm I F curve		х		x			x	1	
	46	Select sig gen suitable for chroma align	x		×				х		
	47	Connect sig gen for chroma align	x	_	×		·		x		ĺ
<u> </u>	48	Identify norm chroma waveforms and curves	1	x		х		<u> </u>	x		l
<u> </u>	49	Adj traps coils + Tran correct chroma curves	Įх			х			x		
L											
L	<b></b>										
3	1	Ident pic symptoms of vert OSC trouble	х			_x			x		
<b></b>	2	Ident norm input outpur wave orms vert OSC	х		х				х		
<b> </b>	3	Connect oscope to OBS input sig to vert GSC	x		х				х		!
	4	Connect oscopt to OBS output sig to vert OSC	x		х			х		_	į
	5	Replace vert OSC module or plug in board		х	х		一		х		į
	6	Ident prob requiring discrete circuit diag		х		x			х		
ļ	7	Ident pic symptoms of vert output trouble	х			x	$\neg$		ж	$\exists$	
<b></b>	8	Ident norm input output waveforms vert out	х	lt 5/4	ATV X		7		х		
	9	Connect oscope to OBS input sig vert out	х		х				x		
<b></b>	10	Connect oscope to OBS output sig vert out	х		х				×	1	
											5
TDIC	L	74					T			7	

Page	3

TV Service and Repair

Job Title

**Analyst** 

INSTRUCTIONS:

Task

No.

11

13

15

16

18

20

21

22

 $\frac{23}{24}$ 

27

28

29

30

31

32

33

34

35

37

38

39

40

41

43

44

46

47

48

49 50

51

52

53

Bob Lehm**a**n

List each menipulative and knowledge skill relating to the job noted above. To the right of each task is a series of columns asking specific questions about the entry level, level of difficulty, frequency, and type of skill involved. Place an "X" in each of the four categories opposite the task description. (Definitions on back).

Task Description

Replace vert output module or plug-in board

Ident prob requiring discrete cird diag

Connect oscope OBS input sig to hor OSC

Ident prob requiring discrete circ diag Ident pic symptoms of hor output trouble

Connect voltmeter with hi voltage probe Replace hor output module or plug-in board

Ident norm input output waveforms hor out

Connect oscope to OBS input sig to hor out

Ident problem requiring discrete circ diag Ident pic symptoms hi voltage circ touble Ident norm input output wavefrms hi volt rec

Use oscope OBS input wavefrms hi volt rect

Ident problem requiring discrete circ diag

Ident pic symptoms of hor AFC circ trouble

Ident norm input output waveforms hor AFC

Connect oscope to OBS input sig to hor AFC

Connect oscope to OBS output sig to hor AFC

Ident problem requiring discrete circ diag Ident pic symptoms of sync sep trouble

Use oscope to OBS input sig to sync ser

Use oscope to OBS output sig of sync sep

Connect oscope to OBS input sig to ago

Connect oscope to OBS output sig from ago

Ident problem requiring discrete lirc diag

Replace agc module or plug-in circ board

Ident pic symptoms of video amp trouble Ident norm input output waveforms video amp

Use oscope to OBS input sig to video amp

Use oscope OBS output sig from video amp

Replace video amp module or plug-in circ bd

Ident problem requiring discrete circ diag

Replace sync sep module or plug-in circ bd

Ident problem requiring discrete circ diag Ident pic or aud symp of age circ trouble Ident norm input output waveforms age circ

Replace hor AFC module or plug-in circ board

Ident norm input output wavefrms of sync sep

Connect voltmeter with hi volt probe

Connect oscope OBS output sig to hor OSC Replace hor OSC module or plug-in board

Ident pic symptoms of hor OSC trouble
Ident norm input output waveforms hor OSC

									_
		etry evel		Leve Diffic	l of sulty	F	requ	ency	
	Entry	On The Job	7	Moderate	Difficult	Small Amount	Average Amount	Great Amount	
									į
		>	х				х		
	L	<u> </u>		х			х		
	×	1_	×		<u> </u>	1	х		
	×	1	x		↓_	↓	<u> </u> x	L	4
	х		×	<u> </u>	<u> </u>	<u> </u>	x	辶	4
	x	+	X	<u> </u>	<del> </del>	1_	х	╙	4
	╀	×	X	<b>-</b> -		-	х	_	4
	×	·×	┧—-	X	<del> </del>	1	X	-	4
	╀	+	├	<u>×</u>	+	├-	×		4
	x	╁	x	<del> </del>	}-	╂	- <del>-</del> -	├	┨
	₩	1-	×	-	+-		X	$\vdash$	1
	†^	x	-	-	╁	╂─	x	├-	+
	╁╌	x		x	+-	╁	x	$\vdash$	┨
_	×	+	<del> </del>	x	+-	╁╌	x	$\vdash$	┨
	x	<del>†                                    </del>	х	<del>                                     </del>	1	<del>                                     </del>	x	$\vdash$	1
	х		х	<u> </u>	<del>                                     </del>	<del>                                     </del>	x	$\vdash$	1
	x		×		1	<b>!</b>	x		1
	T	х		х	<del>                                     </del>		х		1
	x			x			х	$\vdash$	1
	х		. х		1		х		1
	х		ж				х		1
•	х		х				х	-	1
		х	х				х		1
		х		х			х		1
	х			х			х		1
	x		х				ж		1
	ж		х				х		
	х		х				х		]
	L	×	х				х		
	<u> </u>	х		х			х		١
	x			x			х		
	X.	$\square$		х			×		1
	×,		х				х		l
	x		x				х		
		х		x			х		
		X		х			x		
	X	<b>  </b>	- <del>X</del>				X		
	×		х				_x		
	×		_ <u>x</u>				_ <b>x</b>		
	"	-,,	х		_		X		
	$\vdash$	X		X			_X		
	ı . I	х	- 1	x	1	- 1	x		l

	,	
Page	4	ı
50		۰.

TV Service and Repair
Job Title

Level of Difficulty

Bob Lehman

Entry Level

INSTRUCTIONS:

List each manipulative and knowledge skill relating to the job noted above. To the right of each task is a series of columns asking specific questions about the entry level, level of difficulty, frequency, and type of skill involved. Place an "X" in each of the four categories opposite the task description. (Definitions on back).

Analyst

Frequency

				The Jub		derate	icult	I Amount	rage Amount	at Amount	
Duty No.	Task No.	Task Description	1								ĺ
3_	54	Ident pic symptoms of pic tube circ trouble	×	┢	x		<b> </b>	├~	x	<b> </b> -	ł
	55	I ident norm input sig waveforms of pic tube	<del>  x</del>		×	_	<b></b> -	├	×		ł
	56	Use oscope to OBS input sig to pic tube	x		X		<b> </b>	├	×	<u> </u>	ł
	57	Ident problem requiring discrete circ diag	1	<del>  x</del>		×		<b> </b>	X	<b> </b>	ł
	58	Ident pic symp of video detector trouble	×	-	×	_		┢┷	×	<b></b> -	ł
	59	Ident norm input output sig video detector	$\frac{\pi}{x}$		×				x	<u> </u>	ı
	60	Use oscope to OBS input sig to video det	×		×	-	├	<b> </b>	X	_	I
<b></b>	61	Use oscope to OBS output sig from video det	x	_	×		<b> </b>	<b> </b>	x		l
<b></b>	62	Connect sig injector to video detector input	x		×		<b> </b>		x		Í
<b></b>	63	Replace video det module or plug-in circ bd	† <u> </u>	x	<u> </u>	х	<b> </b>	<b> </b>	X		
	64	Ident prob requiring discrete circ diag	T	х		х			x		
<u> </u>	65	Ident pic sound symp video I F trouble	×			х			x	_	
	66	Ident norm input out sig wavefrms video I F	x			х			х		١
	67	Use oscope to OBS input sig to video I F	х		х				х		1
	68	Use oscope to OBS output sig of video I F	x		х				х		ĺ
	69	Connect sig injector to video I F amp	x		х				х		ł
<b></b>	70	Replace video I F module plug-in circ board		х		x			х		į
	71 -72	Ident prob requiring discrete circ diag		х		х			х		
	_L	Ident pic and sound symp of tuner trouble	х		×				х		-
	73	Ident norm output sig waveforms of tuner	x			х			x		İ
	74	Connect oscope to OBS output sig of tuner	x	, ,	х	. ,			ж	. ,	Ì
L	75	Connect sig injector to tuner input	75		х			1	х		l
	76	Replace tuner		х		х		ж			
<b></b>	77	Ident sound symp of sound I F AMP trouble	х		x				x		ĺ
	78	Connect sig injector to sound I F input	х		х				х		ŀ
<u></u>	79	Connect sig injector to sound I F output	х		х				х		ĺ
	80	Replace sound I F module or plug-in circ bd	x		х				х		l
	81	Ident prob requiring discrete circ diag		х	х				х		ı
	82	Ident sound symp of FM sound det trouble	x		х				х		
<b></b>	83	Connect sig injector to input sound det	$\mathbf{x}$		х				х		ĺ
<u> </u>	84	Connect sig injector to output sound det	х		х				х		ĺ
<u> </u>	85	Replace sound det module or plug-in circ bd	x		х				х		
	86	Ident prob requiring discrete circ diag	x		х				·x		ĺ
<b> </b>	87	Ident sound symp of audio amp trouble	X.		х				х		
<b> </b>	88	Connect sig injector to input of audio amp	х		х				х		l
<b> </b>	89 90	Replace audio module or plug-in circ board	х		х	·			х		
	91	Ident probarequiring discrete circ diag	x.		х				х		i
<b> </b>		Ident pic or sound symp of power supply	х		X				х		
}i	92	Ident norm output waveforms of power supply	х		х				х		,
<b> </b>	93	Ident norm output voltages of power supply	x		x			[	х		
	95	Use oscope OBS volt waveforms of pwr supply	x		х				х	]	
<u> </u>	96	Use voltmeter measure volt of pwr supply	х		х				х		
	70	Use ammeter measure current pwr supply	х	[	х			x			
<b>3</b>		76					+				
			- 1								

Page	5	
roye	, <u>.</u> , .	

TV Service and Repair
Job Title

INSTRUCTIONS:

Bob Lehman

List each manipulative and knowledge skill relating to the job noted above. To the right of each task is a series of columns asking specific questions about the entry level, level of difficulty, frequency, and type of skill involved. Place an "X" in each of the four categories opposite the task description. (Definitions on back).

Entry Level of Frequency Level Difficulty

10000000000000000000000000000000000000	e e e e e e e e e e e e e e e e e e e			The Job		dezate	icult	Il Amount	rage Amoun	at Amount	
	Task No.	Task Description	┨	Į					#		
腳	97	Ident prob requiring discrete circ diag	<b>-</b>	-	<b>}</b>	<del> </del>	<b> </b>			L	1
新香 新香	98	I ident pic symp of color phase detect	×		<u> </u>	X		L.,	L×		1
	99	Ident norm input out sig wavefrms color det	×		X			L_	×		1
	100	use oscope to OBS color det input cia	×		Х		L	L.	L-X		1
蕸	101	Use oscope to OBS color det output sig	₩		x			<b>-</b> -	×	_	Į
	102	Replace color phase det mod or pluggia eine	<b> </b>	<u> </u>	<b></b> -	-			X	<u> </u>	1
935	103	I ident prob requiring discrete circ diag	-	- 24	<b></b> -	X			×		┨
18	104	I ident pic symp of color demodulator trouble	x	<b>-</b> ^		×			X		┨
	105	ident norm input out sig wavefrm color demod	x		×	×			X		1
	106	Use oscope to OBS color demod input cir.	×	-	×	_			X X		1
87	107	use oscope to OBS color demod output sign	$\frac{1}{x}$	-	×				×		ł
	108	Replace color demod mod or pluggin circ bd		×		x			×		l
_	109	ident prob requiring discrete circ diag		×		x			X		f
Selection of the select	110	ident pic symp of convergence circ trouble	x			x		- ~	x		1
\$65. 587.	111	Ident norm converg input output sig waveform	X		×			x	۳	~~	1
#5 a.	112	Use oscope to OBS convergence input sig	x		×			_^	х		
(数元) (2.5)	113	Use oscope to OBS convergence output sig	x		. x				x		1
3400 0.00	114	Replace convergence module of plug-in circ		Х		X			X		
=	116	Luent prob requiring discrete circ diag	~	X		$\widetilde{\mathbf{x}}$			X	,	
3	117	Ident pic symp of bandpass amp trouble	x			X	$\neg \neg$		х	~	
	118	Ident norm bandpass amp input output sig	х			x		$\overline{}$	х		
	119	Use oscope to OBS bandpass input waveform	х		х				x		
_	120	Use oscope to OBS bandpass output waveforms	X		X				x		
	121	Replace bandpass amp mod or plug-in circ bd		_x		x			х		
	122	Ident prob requiring discrete circ diag		X		X			$\mathbf{x}$		İ
	1.23	Ident pic symp of burst amp trouble	X.			х			x		ĺ
	124	Ident norm burst amp input and output sig	إنعا	4	_X			$\dashv$	_z		İ
	125	Use oscope to OBS burst amp input waveform Use oscope to OBS burst amp output waveform	X,	_	_X			$ \bot $	x		
	126	Replace burst amp mod or plug-in circ bd	X	-4	_X_		_	$\dashv$	×.		
	127	Ident prob requiring discrete circ diag		×		×	_	_1	×		
1	128	Ident pic symptoms of color killer trouble		×		×			_×_		i
1	129	Ident norm color killer input and output sig	x		X		_	_	×	_	
	130	Use oscope OBS color killer input waveform	X		_×				x		
1	131	Use oscope OBS color killer output waveform	X	4	_ <u>×</u>				×		
1	132	Replace color killer circ module	×.		_ <u>x</u>		<del>-</del>	-+	X.		
	133	Ident prob requiring discrete circ diag	X	+	_X_				_X.	~-	
T	134	Ident pic symp color sub-carrier OSC trouble	X	+	-X			-+	×	$\dashv$	
T	135	IDENT NORM Cub-commiss ACC ! .	X	+	<del> </del>	-X-		-+	-X-		
	136	Use oscope to OBS sub-carrier input waveform	<del>*</del>		+	×	-}-	-+	-X-}-		
-	13/	USE OSCODE ORS cub-corrier	X X		×			X.+			
	138	Replace sub-carrier OSC module	^+	$\frac{1}{x}$		X.		<u>×</u>  -	$\frac{1}{x}$		
	139 J	Ident prob requiring discrete circ diag	-+	x	+	x			x		
2	I	777	+	+	-	+	-	+	+		6
? <b>≡</b> ?	0	1/1	7	$\dashv$		$\dashv$		-+	-	-	•

Page 6

Analyst

TV Service and Repair

Job Title

#### INSTRUCTIONS:

List each manipulative and knowledge skill relating to the job noted above. To the right of each task is a series of columns asking specific questions about the entry level, level of difficulty, frequency, and type of skill involved. "Place an "X" in each of the four catagories opposite the task description. (Definitions on back).

Bob Lehman

Entry Level Difficulty

Entry Level Difficulty

Easy

Entry Con The Job

			1			l		1	no un	ını
Duty No.	Task No.	Task Description	1						-	
4	1	Ident type of rectifier circ used	+ <del>x</del>	<del> </del>	x		├	┿	×	
	2	Ident operating char of rectifier circ	1×	<del> </del>	×	<b>-</b>	├~~	<del> </del>	×	<b> </b>
	1_3_	Ident type of filter used and its oper char	$\frac{1}{x}$	<del>  ~</del>	X		├~~	┼~	x	<b>  </b>
	4	Ident type of voltage reg and oper char	\x		×	<b>—</b> —	<b>-</b>	<del> </del>	x	<b>  </b>
	5	Ident voltage divider networks	×		X	_	<b> </b>	┼~	×	
	6	Measure circ volt currents and waveforms	X	-	×		-	1-		×
	7	Ident faulty component(s) ind by readings	+	┢┈	<b></b>	×	<b>!</b> ~~	┼~	$\overline{\mathbf{x}}$	
	8	Clean tuner switch contacts	√x	<b> </b>		×	<b>!</b>	<b>†</b>		×
	9	Ident function of components in I F amp	X	-		$\widehat{\mathbf{x}}$	<del> </del>	1-	X	
	10	Determine point I F amp sig is abnormal	+x	-		×	┞──	<del> </del>	×	
	11	Measure interpret meaning of static voltages	×	<u> </u>		×	<del> </del>	<del> </del>		X
	12	Ident faulty component(s) indicated	×	<b> </b>	<del>                                     </del>	×	<del>                                     </del>	†—	×	
	13	Ident func of components video det stage	T×	<u> </u>	×		<del> </del>	1-	x	<b>  </b>
	14	Ident point video det stage sig abnormal	×	<u> </u>	×	<del> </del>	<del>                                     </del>	1-	x	
	15	Measure interpret meaning static voltages	×	<u> </u>	×	-	<del> </del>	<b>!</b>	×	
	16	Ident faulty component(s) ind by readings	T <sub>x</sub>	<b>!</b> ~~	×	-	├~~	<del> </del>	x	
	17	Ident function components video amp stage	$+\ddot{x}$	<b>-</b>	×	-	├─	┢┈	$\frac{\hat{x}}{x}$	
· , -	18	Ident point video amp sig becomes abnormal	Tx	<b>-</b> -	<b>-</b>	×	<del> </del>	<b>†</b>	×	
and other particular and other particular	19	Measure interpret meaning static voltages	† <del>ÿ</del>	==	==	x		1==	<u> </u>	$\mathbf{x}$
	20	Ident faulty component(s) by readings	T;	<del> </del>	<del> </del>		<del> </del>	╂┈	×	<b>  </b>
	21	Ident function components pic tube circ	╅╦	<del> </del> -	×		<b>!</b> -	<b></b>	×	<b>  </b>
	22	Ident point pic tube circ sig becomes abnorm	+ <del>∵</del>	<b>-</b>	- <del>:</del> ~		├	<del> </del>	$\frac{\hat{x}}{x}$	
	23	Measure and interpret meaning of static volt	╁	-	×		├	×	<del>                                     </del>	<b>  </b>
<del></del>	24	Ident faulty component(s) ind by readings	+x	<b></b> -	<del> </del> -	x	├	<del> </del>	×	<b>  </b>
	25	Ident function components sync sep stage	- <del> </del> ×	<b>-</b> -		×	<del> </del>	┼~	×	
	26	Ident point sync sep sig becomes abnormal	+x	<b>-</b> -	×	<del>                                     </del>	├~~	┝╌╴	×	
	27	Measure interpret meaning static voltages	T <sub>x</sub>	<b> </b> -		×	├	├		×
	28	Ident faulty component(s) ind by readings	1÷	-	<u> </u>	×	<del> </del>	├		- X
	29	Ident function of components in age circ	╁╬	<del> </del> -		x	├	<b>}</b>	$\frac{1}{x}$	
	30	Ident point age circ sig becomes abnormal	╁	<del> </del>	<del> </del>	<u> </u>		-	X	<b>  </b>
	31	Measure interpret meaning static voltages	+÷	-		×	<b> </b> -	<del> </del>		×
	32	Ident faulty component(s) ind by readings	$\frac{1}{x}$			x		-		$\frac{\hat{x}}{x}$
	33	Ident function component(s) vert output amp	Tx.	$\vdash$	- <u></u>	<u> </u>		<b> </b>	x	-
	34	Ident point vert output amp sig is abnorm	+ <del>"</del>			×		ļ	X	
	35	Measure interpret meaning static voltages	+ <del>"</del>			×		~~~		×
	36	Ident faulty component(s) ind by readings	÷			×	<b>-</b>			- <del>X</del>
	37	Ident function components vert sweep OSC	╁÷	-		$-\frac{\hat{x}}{\hat{x}}$	<b>  </b>		-5	
	38	Ident point vert OSC sig becomes abnormal	4			<u> </u>			X	
	39	Measure interpret meaning static 50L3 75	×			X			X	
	40	Ident faulty component(s) ind by readings	+							
	41		<del>``</del>			×	<u> </u>		<u> </u>	_ <u>×</u>
	42	Ident function of component(s) in hor OSC	X			X	30 P		X	
	43	Determine point hor OSC sig becomes abnormal	X		X		نفند		X	
	43	Measure interpret meaning static voltages	×			X				×
		78	4							
0"			1 1	. 1						- 1

Page	7	
	 	-

TV Service and Repair

Job Title

INSTRUCTIONS:

Bob Lehman

Level of Difficulty

Entry Level

List each manipulative and knowledge skill relating to the job noted above. To the right of each task is a series of columns asking specific questions about the entry level, level of difficulty, frequency, and type of skill involved. Place an "X" in each of the four categories opposite the task description. (Definitions on back).

Analysi

Frequency

			_		<del></del>						į
(		involved. Place an "X" in each of the four categories opposite the task	g	0	Easy	3	0	ام	>	ര	l
		description. (Definitions on back).	Entry	On The	ž	Moderate	Difficult	Small Amount	vera	Great Amount	l
1			ļ	دل عد		rati	<del>-</del>	3	ge	<u>*</u>	
				8		"	İ	ě	E €	9	ı
			1				İ	=	Average Amoun	1	l
Duty	Task	Task Description	ł						*		
17:3	No. 44	Ident faulty component(c)	L					LJ			l
4_	45	Ident function	X			x				×	l
-	46	Ident function component(s) hor AFC circ	×	.1		X			×		İ
-	1 47	Determine point hor AFC sig is abnorm	×			Х			X		ĺ
	48	Measure interpret meaning static voltages	X			_ X			X		ĺ
<b>/</b>	49	Ident faulty component(s) ind by readings	X			X			X		
×	50	Ident function component hor swp output amp	×			Х			X		
· +	51	Ident point hor output sig becomes abnorm	X	_		×			x		ĺ
	52	Measure interpret meaning static voltages	×			x			X		ĺ
	53	Ident faulty component(s) ind by readings	L×.						x		İ
f	<del>1 53</del> 54	Ident func components hi volt supply circ	X			X			×		l
<b>.</b>	55	Ident point hi volt supply sig is abnorm	X						×		ĺ
<b></b>	56	Measure interpret meaning static voltages	×						x		ĺ
	1 57	Ident faulty component(s) ind by readings	×			×			X		l
<b></b>	58	Ident function components sound I F amp	×		X	<b> </b>			X		ļ
<b>-</b>	59	Ident point sound I F amp is abnorm	X	+	X		· .	]	х		ĺ
<b></b>	1 60	Measure interpret meaning static voltages  Ident faulty component(s) ind by readings	×	-	<b>_</b>	X			X		ļ
<u> </u>	61	Ident function of components in sound det	×		<b></b> -	X		<u>  </u>	X	$\dashv$	į
·	62	Ident point sound det sig is abnormal	×	<b>↓</b> ——	X				X	~ ~~	
<b> </b> -	63	Measure interpret static voltages sound det	×	+	X	<b>  </b>			X		
<b> </b>	64	Ident faulty component ind readings	×	_	X	<b>  </b>			X		
, <del>                                    </del>	65	Ident function components audio amp	×	<del></del>	X	<del>  </del>			X		
<b></b> -	66	Determine point audio amp sig is abnormal	X		х	┿		<b>  </b>	x		
<b></b> -	67	Measure interpret meaning static voltages	X		Х				X		
<b></b>	68	Ident faulty component(s) ind by readings	×		X	<b> </b>		<b>  </b>	X		
1	69	Ident function components color phase det	X		х	<b>  </b>		<b>  </b>	_ X		
<b>}</b>	70		×		x	├		1	X		
<b> </b>	171	Ident point color det sig becomes abnorm	_	X		×		<u> </u>	X		
<b> </b>		Measure interpret meaning static voltages	<u> </u>	_×		X			X		
ļ	72	Ident faulty component(s) ind by readings	<u> </u>	X		х			_х	$\dashv$	
-	74	Ident func components color sub-carrier OSC	X			×			اعد		
<b> +</b>	75	Ident point sub-carrier OSC sig is buorm	<b> </b>	X		×			×		
-	76	Measure interpret meaning static volvages	<b> </b>	X		х			x		
<b>_</b>	1 77	Ident faulty component(s) ind by readings	<b>L</b> _	X		X			x		
<b> </b>	78	Ident function components color killer circ Ident point color killer sig is abnorm	Х.			×					
<b> </b>	79	Macause data was to the same significant s		X		X			×		
f	80	Measure interpret meaning static voltages		_X	<b></b>	X			_x		
<b> </b>	81	Ident faulty component(s) ind by readings		×		X			_x		
<b> </b>	82	Ident function of components in burst amp  Ident point burst amp sig is abnormal	X.		х	ŀ			X		
<b></b>	83	Measure interpret meaning static voltages	<b> </b>	×		X			_X		
<b> </b>	84	Ident faulty component(s) ind by readings	<b> </b>	_ <u>×</u>	· <b>-</b>	X			X		
<b> </b>	85	Ident function components bandpass amp		×		X	-		X		
<b> </b>	86	Ident point bandpass amp sig is abnormal	X	; <b> </b>		×			x	ļ	,
<b> </b>	<del>                                     </del>			_x		x			ж		(
	1	79									
$\Box\Box$							L	_ 1		1	

TV Service	and	Repair	
		ob Title	

INSTRUCTIONS:

Bob Lahman

On The J

Level of Difficulty

Difficult

Analyst

Frequency

Great An

64

tist each manipulative and knowledge skill relating to the rop noted above to the right of each task is a screen of echanics asking specific questions about the entry level, level of difficulty, frequency, and type of skill involved. Place an "X" in each of the four categories opposite the task description. (Definitions on back).

Duty No. No. 4 87 Measure interpret meaning static voltages  88 Ident faulty component(s) by readings 89 Ident function components color demod 90 Ident point color demod sig is abnorm 91 Measure interpret meaning stage voltages 92 Ident faulty component(s) ind by readings 93 Ident function components convergence circ 94 Ident point conver circ sig is abnorm 95 Measure interpret meaning stage voltages 96 Ident faulty component(s) ind by readings 97 Measure interpret meaning stage voltages 98 Ident faulty component(s) ind by readings 99 Ident faulty component(s) ind by readings 90 Ident faulty component(s) ind by readings 91 I Relate physical resistor to schematic 92 Ident coded resistor parameters 93 Itest resist value (in circuit) 94 Itest resist value (out of circuit) 95 Evaluate result of resistance measurement 96 Ident phys signs resistor deterioration	x	x x x x		x x x		mount		
4 87 Measure interpret meaning static voltages 88 Ident faulty component(s) by readings 89 Ident function components color demod 90 Ident point color demod sig is abnorm 91 Measure interpret meaning stage voltages 92 Ident faulty component(s) ind by readings 93 Ident function components convergence circ 94 Ident point conver circ sig is abnorm 95 Measure interpret meaning stage voltages 96 Ident faulty component(s) ind by readings  5 1 Relate physical resistor to schematic 1 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement		x x x		х			_	
88 Ident faulty component(s) by readings 89 Ident function components color demod 90 Ident point color demod sig is abnorm 91 Measure interpret meaning stage voltages 92 Ident faulty component(s) ind by readings 93 Ident function components convergence circ 94 Ident point conver circ sig is abnorm 95 Measure interpret meaning stage voltages 96 Ident faulty component(s) ind by readings  5 1 Relate physical resistor to schematic 2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement		x x x		х			$\mathbf{x}$	$\dashv$
89 Ident function components color demod 90 Ident point color demod sig is abnorm 91 Measure interpret meaning stage voltages 92 Ident faulty component(s) ind by readings 93 Ident function components convergence circ 94 Ident point conver circ sig is abnorm 95 Measure interpret meaning stage voltages 96 Ident faulty component(s) ind by readings  5 1 Relate physical resistor to schematic 2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement		x x x		х			x	$\dashv$
90 Ident point color demod sig is abnorm 91 Measure interpret meaning stage voltages 92 Ident faulty component(s) ind by readings 93 Ident function components convergence circ 94 Ident point conver circ sig is abnorm 95 Measure interpret meaning stage voltages 96 Ident faulty component(s) ind by readings  5 1 Relate physical resistor to schematic 2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement		x					x	一
91 Measure interpret meaning stage voltages 92 Ident faulty component(s) ind by readings 93 Ident function components convergence circ 94 Ident point conver circ sig is abnorm 95 Measure interpret meaning stage voltages 96 Ident faulty component(s) ind by readings  5 1 Relate physical resistor to schematic 2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement	х	x		x			x	_
92 Ident faulty component(s) ind by readings 93 Ident function components convergence circ 94 Ident point conver circ sig is abnorm 95 Measure interpret meaning stage voltages 96 Ident faulty component(s) ind by readings  5 1 Relate physical resistor to schematic 2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement	х			X			ж	ヿ
93 Ident function components convergence circ 94 Ident point conver circ sig is abnorm 95 Measure interpret meaning stage voltages 96 Ident faulty component(s) ind by readings  5 1 Relate physical resistor to schematic 2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement	х			х		П	x	$\neg$
94 Ident point conver circ sig is abnorm 95 Measure interpret meaning stage voltages 96 Ident faulty component(s) ind by readings  5 1 Relate physical resistor to schematic 2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement				ж			х	一
95 Measure interpret meaning stage voltages 96 Ident faulty component(s) ind by readings  5 1 Relate physical resistor to schematic 2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement		х		х			$\mathbf{x}$	$\neg$
96 Ident faulty component(s) ind by readings  5 1 Relate physical resistor to schematic 2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement	1	x		x			x	ヿ
5 1 Relate physical resistor to schematic 2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement		х		x			X	. 1
2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement	1					<u> </u>		
2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement	<b>†</b>					<b>t</b>		
2 Ident coded resistor parameters 3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement	x	1	x	<u> </u>		<del>                                     </del>		x
3 Test resist value (in circuit) 4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement	x		×		<b> </b>	t		x
4 Test resist value (out of circuit) 5 Evaluate result of resistance measurement	x	+	x	† <del>-</del>	<del>                                     </del>	<del>                                     </del>	-	x
5 Evaluate result of resistance measurement	$\frac{\Lambda}{x}$	$t^{-1}$	x		<del>                                     </del>	<b>†</b>		x
	x	<del>                                     </del>	$\frac{1}{x}$	1	$\vdash$	$t^{-}$		x
	$\frac{1}{x}$	_	x	<del></del>	<u> </u>	1		x
The state of the s	x	,	×	+	1	+	1	×
7 Evaluate effect of electrical char in circ	† <u>^</u>	-	×	+	<del> </del>	<del>†</del>	╁─	x
8 Relate physical capacitor to schematic	<del> </del>	+	$\frac{\hat{x}}{x}$	<del></del>	<del> </del>	<del>                                     </del>	<del> </del>	x
9 Ident coded cap parameters	$\frac{1}{x}$	4		<del></del>	┼─	╂		x
10 Quick check cap in circ with ohmmeter	╁÷	<b>-</b>	$\frac{1}{x}$	—	┼	<del> </del>		×
11 Test capacitor out of circ with cap tester	+ <u>^</u>	1-		-l	╁	<del>                                     </del>	<del> </del>	×
12 Evaluate results of cap quality tests	<del>  ^</del>		<del> </del> ☆		┼	╂	┧	x
13 Evaluate effect of elec char of cap on circ		<del></del>			┼	<del> </del>		
14 Ident physical signs of cap deterioration	X	<del></del>	X		┼	╁		<u> </u>
15 Relate physical inductor to schematic	X		×	<b>_</b>	<del> </del>	<u> </u>	X	<del>  </del>
16 Ident coded inductor parameters	×	<del></del>	X	+		╂	1	
17 Quick check inductor in circ with ohmeter	×		×		<b>↓</b>	╄	×	$\vdash$
18 Evaluate results of inductance checks	X	.	×		1		X	<u> </u>
19 Evaluate effects of elec char on circ	×		ļ	X		4	X	
20 Ident phys signs inductor deterioration	×	-4		_ X		ļ	X	
21 Relate transformer to schematic	X	4	X				X	ļ
22 Ident transf parameters from schem/catalog	x		X	1 .			X	ļ
23 Quick check transf with ohmmeter	×		l ×			1	X	1
24 Evaluate results of trans tests	X		X	1	1	1	X	_
25 Evaluate effects of elec char on circ	×		l ×	1			Х	
26 Ident physical signs of trans deterioration	x		l ×	·	1.		X	
27 Relate tube to schematic	x		ľ×	1		1		X
28 Ident tube parameters from manual or schem	х	]	×	. ]	1	1		x
29 Test tube by substitution	×	]	×	: ]		1	1	X
30 Test tube in tube tester	x		×			L	1	x
31 Evaluate results of tube tests	x	-1	1	. [		1		x
-80			l x			1	ī	,
<u> </u>		1	. х			l .	1	!

# TASK INVENTORY

	9
. RDC	

TV Service and Repair	777	Carrica	and Re	mair	
			71117 11.		

INSTRUCTIONS

icois Lagrangen

Entry Level Level of Difficulty Analyst

Frequency

List each manipulative and knowledge skill relating to the job noted above.
To the right of each task is a series of columns asking specific questions
about the entry level, level of difficulty, frequency, and type of skill
involved. Place an "X" in each of the four categories opposite the task
description. (Definitions on back).

		, wagariay, and type of same	<b>—</b>						$\overline{}$	$\overline{}$	
		involved. Place an "X" in each of the four categories opposite the task description. (Definitions on back).	Entry	On The Job	Easy	Moderate	Difficult	Small Amount	Average A	Great Amoun	
								Int	Amount	Į.	
Duty	fask No.	Task Description									
5	32	Evaluate effects of elec char on circ					-	$\dashv$			·
	33	Ident physical signs of tube deterioration	X		X X			$\vdash$			
	34	Relate specific sw or sw sect to schematic	x								
	35	Check switch with ohmmeter	X	-	×		-		X		
	36	Evaluate switch tests	×		×			Н	x	_	
	37	Ident phys signs switch deterioration	x		x	<del>  -</del>		$\vdash$	X		
1	38	Relate circ protector to schematic	X		x		-	H	x	-	
	39	Ident circ protector parameters from schem	<del>x</del>		×				x		
	40	Test tubes or circ breaker with ohmmeter	$+\frac{1}{x}$		х				x		
	41	Evaluate results of circ protector tests	×		×						
	42	Ident phys signs circ protect deterioration	x	-	x				X X		
	43	Test continuity of wiring or circ boards	x	<del> </del>	х	-	<b>-</b>		×		
	44	Ident signs phys deteri wiring or circ board	T <sub>x</sub>		X	T			×	1 - 1	
	45	Relate transistor to schematic	x		×		t	_		x	
	46	Ident semicond device parameters from schem	x	$\overline{}$	x					x	
	47	Check semicond device in circ with vom	T <sub>x</sub>		х		<u> </u>			x	
	48	Check semicond device with in-circ tester	T	x	х	Ī				х	
A	49	Test semicond device out of circ	x		x	.,,	<b>1</b>		<b>x</b>		*****
	50	Evaluate results of semicond device tests	x		х		1			х	
	51	Evaluate effects on elec char on circ	$T_{\mathbf{x}}$		х		T			х	
	52	Ident phys signs semicond device deter	Ťχ		х	T				х	
	53	Test flyback tran with in circ tester	1	x	İ	x	1	×			
	54	Test deflection yokes within circ tester		x		x	_	×			i
	55	Test speaker	x		×					x	!
	1	The state of the s	<b>†</b>	1							!
				1			1				
6	1	Unsolder component from circ board	$\mathbf{x}$		x		1			x	ı
	2	Unfasten component phys from circ board	$\mathbf{I}_{\mathbf{x}}$		x		1			x	ı
	3	Unsolder component from hand wired circ	Lx		x				T <sub>x</sub>		ı
	4	Unfasten component phys from wired circ	x		×				X		i
	5	Use model and part no sel fact replaced part	х		х					х	i
	6	Use cross ref select univ replacement part	x		x				x		
	7	Mech install replace part on circ board	x		x	1.				x	i
	8	Solder in replace part on circ board	x		x	1			1	x	i
	9	Mech install replace part hand-wired circ	x		x				x		i
	10	Solder in replace part in hand-wired circ	x		x		1.		x		
	11	Repair breaks or flaws on printed circ board	х	ļ	x		<b> </b>	 	x		:
<b> </b>	12	Repair or replace defective wiring	<u>x</u>		х	1			X.		
	13	Make post repair test of set	x	ļ	_x					x	
	14	Clean controls (variable resistors)	x	İ	х				x	ļ ļ	
	<b> </b>		L		ļ	1.					
	<b></b> _		1	1							
-	<b>↓</b>					1				.	
<b>3</b>	<b>_</b>	81	<b>-</b>	ļ			-		ļ	<del>  </del>	
RIC+				L_	L	ــِـــــــــــــــــــــــــــــــــــ			<u> </u>		

# ANALYST QUESTIONNAIRE

1.	Task Ident.	<u>/</u> . /	/ /	/ . /	/ . /
		Clustr.	Occ.	Blk.	Tsk.

- 2. Task objective
  - a) modifies static object or material -- if so, is it
    - 1)processed material, or
    - 2) raw material
    - 3)both
  - b) restores dynamic device or system to normal or improved <u>function</u> - if so, is it

4) mechnical-power device or system

- 5)eletric-electronic device or system, or
- 6) both (its function implements both mechnical power and electricity.
- c) changes or modifies information or data (including pictorial or schematic presentations if so, does information refer to

7) physical object or material

8) dynamic properties, or function

9) symbology/communication

- 10) attitudes and/or interests of people
- 11) more than one of the above
- d) to understand, clarify, or modify an <u>idea</u> or concept - if so, to

12)learn

- 13) communicate about
- 14)both
- e) modify or influence a <u>human attitude</u> or interest or decision (including listening)
  - 15) individual
  - 16) group
  - 17)both
- 3. When a worker performs this task in most businesses, is he usually given any information (besides being told to "Po it") before he starts work? (to perform the task)

If so, is this information

- 1) instructions/supervisory
- 2)technical; specification, nomenclature or codes, or other textual or pictorial or schematic
- 3)motivational or ethical; such as "Careful! this customer is---"
  "You're the best man for this job"
- 4. Is the information
  - 1) usually written only
  - 2) usually oral only
  - 3) usually written and oral

# RESOURCES

- 5. What forms of energy does the worker have available usually
  - 1)electric
  - 2) fossil fuel
  - 3)both
- 6. In most businesses is the work space for this task
  - 1) fixed the "work" is brought to the worker
    2) on-site...the worker walks or travel
    to a location where he then performs the task
  - 3) varies according to business and/or particular occupation.
- 7. When this task is performed is the situation stressful? (very noisy, an emergency, dangerous, rushed
  - 1) It might be, but only rarely
  - 2) In some businesses more than others
  - 3)Often
- 8. In most businesses what resources are usually needed by the worker personally?
  (TOOLS)
  - 1)primarily, hand tools
  - 2)most up-to-date workers use one or more power tools
  - 3) both 1 and 2
- 9. (INFORMATION)
  - 1) formal procedural reminder or "checklist"
  - 2)technical specifications and/or reference catalogs, manuals (in addition to the in Question 3)
  - 3)both 1 and 2
- 10. Does the task require that parts or materials be available? (PARTS)
  - 1)replacement subsystems(or supplied, as for an assembly task)
  - 2)replacement components
  - 3) both 1 and 2
- 11. (MATERIALS)
  - l)materials (such as liquid, solid, gas)
- 12. (INFORMATION)
  - 1)other information than indicated in Questions 3 and 9
- 13. Is equipment (other than tools) usually used in most businesses to perform this task?
  - 1)Diagnostic equipment--measures or converts some aspect of the task medium (Question 1) to a visual or audible display.





2)Operational equipment--other than 1 (above) but usually available to help or be used in performing task activities.

3) both 1 and 2

4) Reporting/Recording/Accounting equipment -used to communicate during the task, or to
record some aspect or effect of task activity,
or to store expenses incurred, or any or all
of these uses

5)All of the above

14. How many other people does the worker usually deal with in performing this task in most businesses?

1) almost always alone (photo darkroom)

- 2)occasionally alone--usually has some opportunities to converse with one or more other people.
- 3) almost always, this task is performed with other people around.

4)workers often "consult" other people as a part of this task in most situations.

5) in most businesses, the worker must deal with one or more other people to complete the task; e.g. to obtain parts, check procedure, coordinate, verify judgments, and so on.

# TASK OPERATIONS - CONTROL

- 15. How many procedural tests are usually required (for the worker to be sure he's following the right procedure) (#18 covers tests of the task object itself)
  - 1)one
  - 2)2-4
  - 3)5 or more
- 16. Is most of the control and direction for performance of this task provided by 9, 12, 15, 18, 19, 20, 21, 26, 27, 28
  - 2) an immediate supervisor or "lead-worker"
  - 3) some other source
  - 4)2 and 3
- 17. How is the overall task <u>sequence</u> usually determined for this task?
  - 1) by the worker as he works
  - 2) in consultation with other people
  - 3) both 1 and 2
  - 4) by the worker himself using or adapting slightly, a standard procedure
  - 5) following a task checklist (see Question 9) exactly
  - 6) some combination of 1-5, above, plus a safety checklist



- Are "tests" usually and normally required during this task 18. prior to testing the finished product?
  - If yes, what units are used in expressing test results? 1).00 $\overline{01}$  - .1 in. (or similar range precision, such as a printer's scale, or smaller seconds
  - and minutes of arc, milligrams, and such) (STATIC) 2).1 in. - yards (or similar range of precision, such as rods, chains, meter, degrees of arc, pounds, dollars and cents, and such)
  - TESTING) 3) both 1 and 2
    - 4) units larger than yards, meters, or chains (100 ft) units of what dynamic properties
- 1)mechanical power or force (lbs/sq. in., H.P., and so 19. 2) electrical properties (volts, ohms, amperes, watts, DYNAMIC TESTING) and so on)
  - 3) velocity (mi./hr., revolutions per minute or second)
  - 4) physical properties (temperature, chemo-physical changes, color, angstroms, etc.)
  - 5) other than one (1-4 above)
- 20. Indices of relationship (statistics, etc.) between things that change
  - 1) yes
  - 2)no
  - 3)other
- Are there any tests commonly used in this task in which the worker compares his work results to a standard pattern? (color, waveform, human response pattern, shape, textual or paper-form format, template, etc
  - 1) no widely used patterns 2) some patterns used in a few situation
  - 3) commonly established and accepted procedure

# TASK OPERATIONS PROCEDURAL PATTERN CHARACTERISTICS

- In most businesses, what is a reasonable time to 22. allow for performance of this task?
  - 1) under 10 minutes
  - 2) somewhere between about 10 minutes to an hour
  - 3)roughly between 1 hour and 4 hours
  - 4) usual? over four hours
- Is it fairly easy to see this task as consisting of several steps or decision -- points? (If it's not easy, don't answer 23, 24, 25

If it is easy, about how many steps for

("SET-UP") 1)1-3 steps 2)3-10 steps

- 3) over 10 steps

- (AFTER "SET-UP") 1)1-3 steps 24.

  - 2)3-10 steps
  - 3)10-20 steps
  - 4) over 20 steps
- 25. Do any steps require dealing with other people in most businesses?
  - 1) one to three steps
  - 2) over three steps
- 26. Is the worker usually required to a form calculations at any point in the task?
  - If yes, does he want of do so
    - 1) assisted by a pairment or tools
    - 2) based on measurements obtained
    - 3)both
    - 4) performs calculations but neither 1 or 2 apply.
- 27. If he is usually required to perform calculations, how many factors must be considered in the most complicated calculation? (normally, in most, routine, situations)
  1) under 3 factors

  - 2) over 3 factors
- 28. What is a rough estimate of the total number of kinds of calculations usually performed during this task?
  - 1)under 3 calculations
  - 2)3-10 calculations
  - 3)more than 10 different kinds of calculations or computations (he may have to calculate the same thing many times -- that's one kind of calculation)

# OUTPUT

- When the task is finished, how many tests of the com-29. pleted product are usually made?
  - 1)1 or 2
  - 2)3-5
  - 3) over 5
- How many forms (or other reporting/accounting devices) 30. does the worker usually have to use in most business, after the task is finished, or as last steps of the task? (time cards, work orders, billing, and such)
  - 1)none or 1
  - 2)2-4
  - 3)over 4



31. In most businesses is this product

1) formally accepted by a "customer"
2) formally accepted by supervisory
3) sometimes both
4) no formal acceptance

("formal" is used to mean there is some kind of review or testing or evaluation which could result in the product being rejected)



APPENDIX C
Task Analysis Procedures



# TASK ANALYSIS PROCEDURES

OREGON STATE DEPARTMENT OF EDUCATION
INSTRUCTION DIVISION
CAREER and VOCATIONAL EDUCATION



### CONDUCTING A TASK INVENTORY

### I. TASK INVENTORY PROCEDURE.

A task inventory is a list of the duties and responsibilities of a worker in an occupation; it contains the knowledge and skills the worker should have if he is to be able to perform the steps which make up the occupation.

Career/vocational education relies on the task inventory as the most efficient method to gain the knowledge necessary to write curriculum for the many programs which make up the occupational clusters. There are basically two proven methods of conducting a task inventory. One method involves an interviewer who observes and interviews a number of workers performing the tasks in the occupation under study. A list of tasks is compiled; this list is then distributed to other workers in the occupation in the form of a questionnaire. They are asked to identify those tasks which they actually do and how frequently the task is performed. They are also asked to add tasks they do which are not listed. The results are then tabulated and the inventory finalized.

Another method is to hire a worker in the occupation to compile the inventory, then have the list of tasks validated by a committee of workers in that specific occupation. This second method is the way we have chosen for it does not require as much time and manpower as the other method.

A task inventory is only undertaken if a need exists. Once a need has been identified by the occupational/specialist, a search for existing task inventories and other relevant materials is conducted. Possible sources of materials are: The Task Inventory Exchange, The Ohio State University; The Curriculum Management Center, Olympia, Washington; U.S. Military Departments, school districts, Department of Education and commercial outlets.



If it is determined that a task inventory is necessary, the occupational specialist and the curriculum specialist establish a list of prospective analysts. Care must be exercised in selection of the analyst. Supervisory and management people are usually not a good choice, although they may be more grammatically competent to compile the inventory. But unless they are actively involved in the work it is better not to hire them. The most knowledgeable and competent person is the worker on the job.

The curriculum specialist interview as necessary to determine the best person for the job. In the interview the need for the inventory and the process of compiling the inventory are explained. Sometimes it is necessary to explain what clusters are, what career education is, but many people are knowledgeable of education and are eager to do what they can to help.

The task inventory can be as detailed as desired, but basically subtasks are not considered. A sub-task is one of the minute steps necessary which make up the complete task, e.g. removing the screws which hold the brushes in a generator. An acceptable task statement might read, "Remove generator brushes." If it were felt necessary to detail just how this were accomplished, the statement "Remove generator brushes" would be a duty under which a detailed step-by-step process of how would be presented. And this brings up a point which is necessarily stressed; the object of the task inventory is to find out what is being done by the workers, and not how it is being done. The how is determined in a subsequent step called "Instructional Analysis."

Once the analyst has been hired, it is necessary to establish a series of follow-up meetings, to evaluate progress and assist the analyst in any way possible to get his information down on paper. At this juncture, it is not necessary to be demanding about sentence structure; information is what is wanted over sentence structure which can come later.



~ ..

Once the initial copy of the inventory is received, the curriculum specialist reviews and edits the copy. He then usually meets with the analyst to assure that what the analyst originally said has been accurately interpreted and restated. This results in an improved copy of the inventory.

The analyst then assists the occupational and curriculum specialists in selecting prospective review committee members. The curriculum specialist interviews these people to explain why their time and expertise are needed. Here, again, care must be exercised to insure that committee members are close to the work the inventory details.

Once members are selected, a time and place for the committee meeting is set. Prior to the meeting taking place, each member of the committee is sent a copy of the inventory, along with instructions for review and correction. The review meeting is usually attended by the occupational specialist, the curriculum specialist, the analyst, and from three to six committee members. The meeting can be chaired by either the occupational specialist or the curriculum specialist.

The purpose of the meeting is to validate the task inventory. The committee members either verify that the task statements are descriptive of the occupation, or that they in some way to accurately describe the duties and responsibilities of the worker. If any committee member disagrees with a particular statement, he is asked to explain his objections. Whether a statement remains in the inventory or is removed depends on a consensus opinion. Similarly, any task identified as being absent must pass the same test before it is included.

Once the committee has approved the inventory, it is rinted in final form and distributed to all those who are actively involved in producing it. The next step, the instructional analysis, is now ready to begin.



### THE TASK STATEMENT

One of the basic steps in the development of vocational education curricula is the Task Inventory. The task inventory is a list of Task Statements containing the duties and responsibilities that a worker must concern himself with if he is to do his job safely, efficiently, and in a reasonable amount of time. The task inventory is written by a worker in the occupation under study. He should understand the importance of the inventory, and be coached in writing task statements. You are cautioned, however, not to be overly demanding of the analyst and require him to be punctually correct in the structure of the task statement. The primary purpose of the inventory is to find out WHAT the worker is doing. Most analysts will write knowledge or understanding statements. These ARE NOT task statements, however, careful editing and re-structuring can produce a statement which shows a task being performed which encompasses the knowledge or understanding specified.

I. The task statement tells only WHAT is being done, and not necessarily HOW or WHY it is being done. To do this it begins with a verb, depicting an observable action which occurs within a specific, continuous period of time, which allows the reader to clearly "see" what the worker is doing.

EXAMPLE: Use calculator to total columns of figures

Refer to manufacturer's manual for torque specifications

Perform visual inspection of bearings for pitting and chipping



II. Task statements are written in present tense, first person singular, with the subject "I" understood. The writer is speaking of himself performing the task.

EXAMPLE: (I) use torque wrench to tighten valve body bolts

(I) perform visual inspection of bearings

III. The plural "s" must not be used, ("greets" customer, "gives" injection", "types" letters). These statements are not first person singular. Here the writer is speaking about someone else doing the job. The reader must not wonder what "greets" customer means: A handshake? An embrace? A casual verbal acknowledgment? Remember: the reader must be able to clearly "see" the worker performing the task.

IV. (A) Avoid the use of "and/or" and "etc"; both terms lead to ambiguity and confusion.

EXAMPLE: Use file and/or emery cloth to remove burrs, rough edges, etc.

If more than one method is to be identified, use two statements.

EXAMPLE: Use file to remove sharp edges

Use emery cloth to polish rough surfaces

(B) Avoid the use of vague and ambiguous words such as, "check", "assure", "determine".

EXAMPLE: Check pressure in lines (does this mean stop? measure? observe?)

Determine ct ...er need



Remember: the task statement is not concerned with HOW the task is performed, but with WHAT is being done. "Determine customer need" does not say very much. This could easily be written:

"Interview customer to establish hair style desired"

V. (A) Avoid numeration of trivial or sub-tasks.

**EXAMPLE:** Turn ignition key

Insert ribbon in typewriter

The engine must be running for the idle speed to be adjusted; the typewriter must have a ribbon if a letter is going to be typed. These are examples of prerequisites which are inferred from the task statement and need not be enumerated.

(B) Avoid the too-general task statement.

EXAMPLE: Fill out necessary pre-sale forms
Overhaul engine

There is too much information being left out of these statements. The reader cannot get a clear picture of the worker performing a specific task, but rather has a blurred picture of several actions being performed at one time.

VI. The task statement is not concerned with the qualifications, traits, or aptitudes of the worker.

EXAMPLE: Be neat and clean

Should have High School diploma

Will have responsibility for supervision of others

These are important, nice-to-have qualifications, but they are not tasks.

VII. There are tools, machines, instruments, knowledge that a worker may use in performing his job. Every concerned practitioner of his art wants a new employee to be able to use, or at least be familiar with, the tools of his trade and to possess the knowledge to make intelligent decisions. It is necessary that this information be included in the task inventory, but in such a manner that the reader can see the worker performing a task, using the tool, or employing the knowledge.

EXAMPLE: Must know how to use tune-up equipment
Understand zoning ordinances
Must be able to type

For the reader to see someone using the knowledge and understanding mentioned in the above statements, they can be re-written thus:

Use cylinder balance test to locate malfunctioning cylinder
Use county zoning ordinance to locate building
Type work order estimate

The foregoing should give the reader a basic understanding of what the task statement is and how it can be written. It would be nice if all activities used the desired terminology, but it is being overly optimistic to expect this. The writer should be permitted to offer the information in the best way he can, hopefully in the form of sentences and on a prescribed form. It will be the responsibility of the specialist to edit the list and put the statements into the



# language desired.

Following are some examples of acceptable task statements.

PERFORM visual inspection of bearings

LOCATE valve specifications in manufacturer's manual

PLAN a training program for sales personnel

CONDUCT in-service class for instructors

PREPARE annual report for auditor

COUNSEL new employees on company regulations

DEMONSTRATE proper method of reading plastigage

ESTIMATE cost of radio repair

new personnel in cash register operation TRAIN

INTERVIEW prospective employee WRITE

work repair order

USE pencil to record temperature on chart

MEASURE E I R + Z of components using voltmeter

DRAW schematics of circuits unit prices from symbols IDENTIFY

ADJUST engine idle speed

REMOVE broken bolt with E-Z out

# THE TASK INVENTORY FORM

When giving instruction to the analyst outlining the kinds of information needed and how that information is to be recorded, particular attention should be given to the Task Inventory form. Fairly strict guidelines for recording the information requested must be established and adhered to, for unless this is done, analysts may interpret meanings wrongly with the result that erroneous information will be recorded.

ورايدات

Illustrated below is the Task Inventory form used by the Oregon Department of Education. In the upper right hand corner, the page number, Job Title and Analyst are identified. These should appear on each page of the inventory to insure against loss or misplacement.

# TASK INVENTORY

Job Title INSTRUCTIONS: List each manipulative and knowledge skill relating to the job noted above. Analyst To the right of each task is a series of columns asking specific questions Entry Level of Frequency about the entry level, level of difficulty, frequency, and type of skill Difficulty Level involved. Place an "X" in each of the four categories opposite the task Entry Difficult Average Amoun description. The Task Task Description 99

Care must be exercised when explaining the form to the analyst. Columns four, five and six require subjective analysis and apply only to the analyst and his job. No two people see anything the same way, and this applies particularly to how people view their job. The analyst may say that a particular task is easy and that it is performed an average amount of the time; anyone is free to disagree with him, although this is his determination and cannot really be argued with. He may be a person for whom things come easy, but to others it could be moderate to difficult. Also, a task that is performed an average amount of the time for one person may to another only be performed sporadically.

# Column One, DUTY NO.

"DUTY" identifies a general area. In Industrial Mechanics, for example, one duty would be the BRAKE SYSTEM. The duty is always identified by a Zero in the TASK column, and is identified by name in the TASK DESCRIPTION column.

# EXAMPLE:

Duty No.	Task No.		Task Description
1	0	BRAKE SYSTEM	
ĺ			

Column Two, TASK NO., Column Three, TASK DESCRIPTION.

Each task identified as belonging to the BRAKE SYSTEM would be entered, numbered and named.

# EXAMPLE:

Duty No.	Task No.	Task Description
1	0	BRAKE SYSTEM
	1	Fill master cylinder with proper fluid
	2	Use pressure tank to bleed system
	3	Use brake spring pliers to remove brake shoe
		springs

When all tasks have been identified in the BRAKE SYSTEM, another duty area will be identified, e.g., TUNE-UP.

## **EXAMPLE:**

Duly No.	Task No.	Task Description	7	1						1
1	0	BRAKE SYSTEM	_	1	†	1				$\neg \uparrow$
	1	Fill master cylinder with proper fluid	_	†-	<u> </u>	1		$\vdash$	_	1
	2.	Use pressure tank to bleed system	士	$\dagger$						
2	0	TUNE-UP		-	-	-	-			
<u> </u>	1	Use strobe light to align degree pointer	+-	$\dagger$	╅	<del>                                     </del>	<del>                                     </del>			
	2	Use dwell meter to adjust point dwell	士	1	1					
1	L	· · · · · · · · · · · · · · · · · · ·	$\neg \vdash$	.T	I	1	T			$\neg$

# Columns Four, Five and Six

The analyst is required to select one answer only in each column and to place an 'X' under the heading which best describes the Entry Level requirements, Level of Difficulty of the task, and the Frequency of each task.

ENTRY, under Entry-Level, means that the prospective employee should have this ability when applying for the job. If it is not necessary to be able to perform this task to get the job, then it would be designated "On-the job", meaning the task can be, or will be, learned after employment.

Column FIVE offers three options: Easy, Moderate, Difficult. Remember that this is purely a subjective area. Review committee members may disagree with any of the analysts' selections here, and frequently do. The final determination is a consensus of the committee.

Column SIX also offers three choices: Small Amount, Average
Amount, Great Amount. This column refers to the number of times
the task is performed, and could mean daily, weekly or monthly.

	EXAMPLE:						of Ity	Fi	eque	тсу
			Entry	On The Job	Easy	Moderate	Difficult	Small Amount	Average Amount	Great Amount
Duty No.	Task No.	Task Description	_							
1	0	BRAKE SYSTEM	_							$\dashv$
	1_	Fill master cylinder with proper fluid	Х	_	Х				Х	
	2	Use pressure tank to bleed system		X		Х			X	
-2	0	TUNE-UP								
	1	Use strobe light to align degree pointer	X		X					X
	2	Use dwell meter to adjust point dwell	Х			Х			X	
	<del> </del>			<u> </u>	ļ	<u> </u>	$\vdash$			$\vdash$
<u> </u>		w.*			<u> </u>	_				
			-	$\vdash$		$\vdash$	$\vdash$	-		
				-		├	$\vdash$			
	-			<b>-</b>	<b>)</b>	↓		<b>-</b>	L	<b>—</b>

The ENTRY LEVEL column has always posed a problem for the analyst. Many analysts like to say how it should be, not how it actually is. It must be understood that this refers to a prerequisite for employment; understanding here greatly facilitates the completion of the inventory.

APPENDIX D Learner Module Cover Format



# **COVER FORMAT**

OF

# LEARNER MODULES

developed under contract for the State Department of Education

OREGON STATE DEPARTMENT OF EDUCATION
INSTRUCTION DIVISION
CAREER and VOCATIONAL EDUCATION


Since the State Department of Education quite often contracts with local educational agencies to develop state curriculum materials, it is required that the cover and overall appearance of these materials be similar and include the appropriate date for the state agency. These guidelines are an attempt to clarify many questions which arise from time to time regarding module formats. This is not intended to limit the creative process of any individuals under contract but to merely standardize developmental procedures.



# INDIVIDUALIZED LEARNING SYSTEMS

# Welding

Filing of the modules often causes difficulties since some teachers file them in a cabinet and others in pigeon hole slots. It is recommended the module title and number be included on the right-hand side and lower section of the module.





OREGON DEPARTMENT OF EDUCATION 942 LANCASTER DRIVE N.E. 841EM. OREGON 97310

W 2006 THE OXYGEN AND ACETYLENE DECL



OREGON DEPARTMENT OF EDUCATION 942 LANCASTER ORIVE M.E. SALEM, OREGON 97310

VERNE A. DUNCAN SUPERINTENDENT OF PUBLIC INSTRUCTION Since different teams develop and revise the curriculum materials, it is suggested the "original team" be listed and when the materials are revised the latter team be included as so designated, ie.: 1975 Development Team.

ORIGINAL DEVELOPMENTAL TEAM:

Writers:

Thomas Arthur Lane Community College

Robert Dallas Beaverton High School

Sanford Elam Umpqua Community College

Philip Goetschalckx

Southwestern Oregon Community College

Howard Heberlien Portland Community College \*

Gerald Slind Estacada High School

Illustrations by: Steven Sandstrom

Host Institution:

Clackamas Community College Oregon City SUMMER '75 DEVELOPMENTAL TEAM:

# L INDIVIDUALIZED S LEARNING S SYSTEMS

© Copyright, 1974

State Department of Education

# Welding

This project was developed under contract for the Instruction Division-Career Education, Oregon Department of Education, under the authority of the Vocational Education Act of 1963 as amended in 1968. Questions regarding use, reproduction, or availability of these materials should be addressed to the Career Education Curriculum Coordinator, Oregon Department of Education, 942 Lancaster Drive N.E., Salem, Oragon 97310.

This module dated

.Copyright information should appear on this inside cover

For a new copyright: Copyright, 1975 Oregon STate Department of Education

Revised copyright: The original copyright title must appear and then the revised date, ie: Copyright, 1974 Clackamas Community College and Oregon Board of Education; Revised 1975

The State Department of Education will be responsible for obtaining the copyright.

Standard note to be included on all modules.

To eliminate confusion as to whether a module is the latest copy, the module should be dated and each time it is revised, the date changed.



107


# MODULE NUMBERING

### Overview

Historically speaking, 'module' numbering has been determined by workshop personnel to meet their own individual needs. This has resulted in a variety of unrelated numbering systems which make correlation of our growing curriculum materials quite difficult.

The numbering system presented here will bring some order into the assignment of future numbers and will provide a formula for re-numbering of existing learner modules (packages) where that becomes feasible.

#### Formula



### Note:

- Avoid alphabetical prefixes that are already in use. Consult current IIS lists to determine present usage.
- 2. Consider color coding of sections within one curriculum area if these are not too numerous.
- 3. Always submit numerical choices to the SDE, Curriculum Development Unit prior to final decision, to avoid any possibility of unnecessary duplication.

# Examples

IIS Learning Modules (current or under devel	ast Numbering	Recomme and Numberin
Auto Body-Fender Repair	10,001 to 10,588	AB 1001 to AB 1588
Auto Mechanics	0,000 to 10,000	AM 0000 to AM 1000
Bookkeeping	000 to 2,110	B 000 to B 2110
Construction	37-1 to 2,300-18	C 0037 to C 3000
Drafting	1.00 to 54.0	DR 1.00 to DR 0000
Electronics	0.02D to 9.690	E 0.000 to E 9.999
Food Service		FS 0000 to FS 0000
Forestry Tech		FT 0000 to FT 0000
Home Economics	1 to 59	HE 0001 to HE 0100
Horticulture		н 0001 to н 0000
Industrial Mechanics	001-A to 1101-A	IM 0000 to IM 0000
Law Enforcement		LE 0000 to LE 0000
Metals (Machine Shop)	1 to 817	MS 0000 to MS 0000
Welding	1000 to 5000	W 1000 to W 5000

93

APPENDIX E
Guidelines for Module Format

110

# GUIDELINES FOR MODULE FORMAT

OREGON STATE DEPARTMENT OF EDUCATION
INSTRUCTION DIVISION
CAREER and VOCATIONAL EDUCATION

# LEARNING MODULE SYSTEM BASIC FORMAT

# 1. TITLE AND MODULE NUMBER

The title should be a short, descriptive, inviting statement of the contents of the module.

# 2. PURPOSE

This is the rationale, in the student's terms, indicating why he should learn the contents of this module. One paragraph choices be enough.

# 3. TESTS (Line)

All of the tests for each module should be as equivalent forms of the same test. The pre-test should be a regular part of the learning module and should be taken before the student starts on the module. If the student scores at the criterion level, he should skip the module. The criterion level may be set by the individual teacher. some cases, levels of 80% are sufficient; other times, 100% may be required. It must be made clear to the student in either a general statement (for all modules) or specific statements (for each module) how well he is expected to do on each item. He may elect to use the module to learn the parts of the pre-test that he did not perform at level on or he may elect to do the entire module. All of the tests should reflect exactly the competencies of the module. Answers for the pre- and post tests should be available from the instructor. Self test answers should be in the module.

### 4. LEARNING OUTCOMES

The learning competencies should be stated in behavioral terms. The competencies should be broken down into performance indicators. Performance indicators contain two basic elements:

- 1. The type of performance expected of the learner.
- 2. The conditions under which the performance will be measured.

# 5. DIRECTIONS

Specific instructions for proceeding in each individual module should be stated.

There may be a standard statement such as:

Directions: Complete the following learning

opportunities in any order you wish. You may take the self test whenever

you feel ready.

or

Directions: You should complete items 1, 2, and 3 in sequence and then do any of the other

learning activities you wish.

It is important to help the student see exactly how to proceed when he picks up a module.

# LEARNING OPPORTUNITIES

- This is a listing of the activities a student may engage in to learn the above competencies). The activities should be as diversified as possible and provide for a broad range of interest and ability levels. The Information Summary Sheet should be listed as one of these learning opportunities.
- Reasons, in student terms, for each learning activity should be clearly stated. This helps the student decide exactly which learning activities he will do.

Areas to consider for (A) and (B):

# SOURCES

Materials: Textbooks. periodicals, pamphlets. laboratory experiments, worksheets, information sheets, exercises, charts, projects, etc.

Media: Films, filmstrips records, tape recordings, film loops, video tapes, pictures, etc.

Methods: Large groups for media, small group for discussions, teacher-pupil conference, individual research in resource center, etc.

# REASONS

Clearly sumarize what is presented in each activity.

See sample below:

kada bada dalah balan dalah kata bada anak abil dalah bada dalah bada dalah bada bada dalah dalah dalah bada b

# 6. LEARNING OPPORTUNITES (cont'd)

Sample:

# SOURCES

# REASONS

Grob: Applications of

Electronics pg. 33-35

This gives a general description of how a transistor amplifier circuit processes the signal.

# 7. INFORMATION SUMMARY

All concepts required to meet the objectives should be clearly and concisely explained in the module. This explanation should serve as a summary of the ideas the student is asked to learn in the module. Additional references are specified under Learning Opportunities. These should be selected to supplement the Information Summary statement. Each module needs to be a complete source of information for the student. This summary should be listed as one of the learning opportunities.

# 8. SELF TEST

This should be constructed as described under pre-test. Be sure to make the pre-,post, and self tests as equivalent forms of the same test. The self test should be a regular part of the learning module. Answers to all self test questions should be in the module

# 9. POST TEST

See pre-test and self-test. For each item of the posttest, there should be instructions for additional information, or what to do to relearn, if the question is missed.

# OPTIONAL

- 1. A pre-test might be given for the following unit to see if the person may have picked up enough additional information to ekip the next module. This can be done for systems that are designed on the linear model.
- 2. For parallel designed learning systems, the student should be given a list of choices for which he is qualified at the conclusion of each module.
- Quest: Activities may be defined that take the student beyond the stated objectives. These activities can lead the student to other closely related topics of into greater depth in the topic being studied. Quest is an optional activity.


114

lika esta likaria kundun 1966 in kalina eta kundunta kundunta kundunta kan kundunta kundunta kundunta kundunta

APPENDIX F Sample Module


115





# **Machine Shop**

**Lathe Operations** 





OREGONIDEPARTMENT OF EDUCATION 942 LANGASTER DRIVE N SALEM/COREGON 97310

VERNE A. EDUNCAN SUPERINSENDENI OF PURLIC INSTRUCTION



# **PURPOSE**

The four-jaw chuck is also called the independent chuck, as each jaw may be moved independently of the other. A machinist must know how to accomply center a double in a four-jaw chuck.

# **OBJECTIVE**

Assigned a lathe and a four-jaw chuck you will be able to clean and install a four-jaw chuck and accurately center a workpiece.

# **LEARNING ACTIVITIES**

You will need to do the following to complete the requirements of this learning module successfully:

- 1. References
- 2. information
- 3. References
- 4. Media
- 5. Self-test
- 6. Post-test

### REFERENCES

Research the following terms in reference books in your technical library:

- 1. The Independent chuck
- 2. Removing and mounting chucks


# MEDIA

MS-3009-01 - Film - Slide/Cassette - "The Four-Jaw Chuck"



#### INFORM ON

The four-jay. Alled the independent chuck, as each jaw may be moved independently of the others. This characteristic makes possible the secure holding of uneven or unsymetrical parts. It is particularly useful when holding square or rectangular parts. Round pieces, such as shafting, may be set up or adjusted to the center by using a dial indicator so there is very little runout. A round part set-up with this method can be more accurately centered than by using the average three-jaw chuck which, when worn, may be from .002 inches to .010 inches off-center. (Fig. 1)



Each jaw in an independent chuck may be removed and reversed so that a larger diameter piece may be held in the chuck. In some cases, only one or two jaws may be reversed to accommodate an irregular shape. See Figure 1.

It is a known fact that a four-jaw chuck will hold a piece of material much more securely than a three-jaw Universal Chuck. But, this does not mean that material can be extended any further out of the four-jaw chuck than that of a three-jaw. By following the rule-of-thumb-, which states that material should never be extended from the chuck-face over three times the diameter of the material being machined. The lathe operator will avoid the possibility of chatter or vibration developing during a turning operation. The only exception to this rule would be in a situation where a center drilling operation is being performed, a steady rest is used, or the material being turned is supported by a center in the lathe's tailstock. (Fig. 2)






Fig. 2

#### Centering Material in the Four-Jaw Chuck

Since the jaws of a four-jaw chuck have a tendency to hold more securely directly below their adjusting screw than they do at the tips of the chuck jaw, a piece of material will not always be held in perfect alignment with the center line of the chuck and lathe. For this reason, it is always advisable when centering a piece of material in the four-jaw chuck to place the toolholder, dial indicator, chalk, etc., as close to the chuck as possible for the initial centering operation. Once the centering of the material has been completed at this point, a second centering operation can be performed out at the end of the material as shown in Fig. 3.

The only basic difference between the second centering operation and that of the first is the jaws of the chuck will not have to be adjusted. The end of the material can be tapped lightly with a soft hammer which should position it in relation to the center line of the chuck. After centering of the material has been completed, a center drilling operation can be performed so that a tailstock center can be used to give the material support during a turning operation.




Fig. 3

#### Mounting the Four-Jaw Chuck on the Lathe

- 1. Before installing the four-jaw chuck on the spindle nose of a lathe, place a lathe board over the ways of the lathe for protection.
- 2. Clean the spindle nose of the lathe thoroughly with a clean rag to remove any chips, dirt, or grease.
- 3. Finish cleaning the spindle nose with your fingers to remove any lint or small chips. Check for small burrs and remove them if necessary, but only under the supervision of your instructor.
- 4. Place the four-jaw chuck on the lathe board and clean it with a clean rag.
- 5. Run your fingers over the machined surface of the chuck to determine if there are any chips or small burrs remaining.
- 6. Once the chuck has been mounted and secured to the spindle nose of the lathe, you can begin to chuck-up and center various shaped materials.

#### Setup No. 1 - Centering Rough Round Stock Using a Tool Holder

The following procedure is designed primarily to be used on material with a rough surface. If accurate centering of smooth material is necessary, follow the procedure described in Setup No. 2 - Centering Smooth Round Stock Using a Dial Indicator.

Set the chuck jaws to the materials' approximate diameter by using the concentric rings on the chuck face.
 Place the piece of material between the chuck jaws and tighten all four jaws evenly with a chuck wrench, Fig. 4.
 Mount the lathe tool holder backwards and upside-down in the lathes' tool post (Fig. 5). Be sure the upper edge of the tool holder is approximately even with the center line of the lathe.
 Move the tool holder toward the chucked material by turning the cross-slide handwheel. Leave approximately one-eighth (1/8) inch between the tip of the tool holder and the material. This will allow you to slowly rotate the chuck by hand to determine its high point or that with the furthest

run-out, without the material striking the end of the tool holder

- 5. It should be mentioned that the point on the material with the furthest run-out may not always fall in direct line with any one of the four jaws, but somewhere in between two of them. If this results, use the nearest jaw at the point with the furthest run-out.
- Once the point on the material with the furthest run-out has been located, move the tool holder forward until it just barely makes contact with the material.
- 7. Rotate the chuck through a second complete revolution to visually determine the materials' run-out.
- 8. After determining the material's run-out, rotate the chuck so the jaw which is directly opposite that with the furthest run-out is in an accessible




Fig. 4

121

105

- 9. Loosen this jaw and back it out approximately 1/2 of the material's run-out.
- 10. Rotate the chuck back around to the jaw that indicates the furthest run-out. By tightening this jaw down, the material will be moved toward the center of the chuck.
- 11. Once the adjustment of the chuck has been completed, it will be necessary to repeat this process again until the material is withint the desired tolerance.

NOTE: It should be mentioned that this same procedure can be carried out with the aid of any solid object similar to a tool holder, such as: a tool bit, parting tool, etc. Also, be sure that all four of the chuck jaws are secure before turning the lathe spindle ON.

#### Setup No. 2 - Centering Smooth Round Stock Using a Dial Indicator

- 1. Set the chuck jaws to the material's approximate diameter by using the concentric rings or the chuck face.
- 2. Place the piece of material between the chuck jaws and tighten all four jaws evenly with a chuck wrench.




Fig. 6

- 3. Select a dial indicator which has approximately 0.200" travel. An indicator with this amount of travel will be less susceptible to damage by a part being too far out-of-round than a dial indicator with only 0.030" travel.
- 4. If a magnetic base is used with a dial indicator, (Fig. 6) it may be attached to the ways of the latne, its carriage, or cross-slide. Another commonly used practice is to lay a smooth piece of flat steel across the ways of the lathe, just under the material that you are dialing in. Then attach the magnetic base to the steel plate. (Be sure you do not damage the ways of the lathe when laying the piece of steel across them.)
- If a magnetic base is not available, it will then be necessary to attach the dial indicator
  to the lathes' toolpost, tool holder, tool bit, or any other solid object that will give
  it vibration-free support.



- 6. Bring the fcot of the dial indicator into contact with the material. Rotate the chuck through several complete revolutions so that you can see the total movement of the indicator needle. If you are unable to see the complete movement of the indicator needle from its high to low point, move the dial indicator closer to the material, or check the material run-out.
- 7. Once you can see the full swing of the indicator needle, make a notation as to the total movement in thousandths of an inch. (It may be helpful to set the indicator's zero marking at the needle's lowest point.)
- 8. Return to the point on the material that indicated the furthest run-out. If this point should fall between two chuck jaws instead of directly in line with one, rotate the chuck so that the foot of the dial indicator is in line with the nearest jaw.
- 9. Rotate the chuck 1/2 revolution so that the jaw which is directly opposite that with the largest run-out is in an accessible position.
- 10. With the aid of a chuck wrench, loosen this jaw and back it out approximately 1/2 of the material's total run-out.
- 11. Slowly rotate the chuck back to the jaw with the largest indicated run-out. With the aid of a chuck wrench tighten this jaw down. By tightening this chuck jaw you will move the piece of material closer to the center of the chuck.
- 12. Now, locate the next-highest point on the material (which may be near the two remaining jaws) and repeat the entire process again until the material is within the desired tolerance.

NOTE: Do not use a dial indicator on any material that has a rough surface as the indicator may be damaged and not indicate an accurate reading. Also, make sure that all of the chuck jaws are secure before starting the lathe spindle.



#### Setup No. 3 - Centering Rectangular Material With a Tool Holder

Many times during machining operations we are required to position various shaped material in the four-jaw chuck. Figure 7 shows an example of a rectangular piece of material positioned in the four-jaw chuck with the aid of a tool holder.

- Open the four jaws on the chuck to the approximate dimensions of the material.
   Remember to use the concentric rings on the chuck face as a guide to the position of the jaws.
- 2. Place the material in the jaws of the chuck. With the aid of a chuck-wrench, tighten the jaws. Position the material as close to the center of the chuck as possible. This will help reduce the time required to center the material.
- 3. Position the tool holder upside-down and backwards in the tool holder. Try to keep the upper edge of the tool holder close to the center line of the lathe.
- 4. Rotate the chuck so that any one of the material's four sides is facing the tool holder and is positioned vertically (Fig. 7).





Fig. 7


- 5. Move the tool holder forward by means of the cross-slide handwheel until it just barely touches the material.
- 6. Loosen the cross-slide micrometer collar and set it at zero, (Fig. 8).



109



- 7. Back the tool holder away from the material so that the material can be rotated without striking the tool holder.
- 8. Rotate the chuck 1/2 revolution so that the opposite side of the material is now in position facing the tool holder. Move the tool holder forward by means of the cross-slide handwheel until its tip just barely touches the material.
- 9. Look at the micrometer collar on the cross-slide to determine if the indicated zero has reached the fixed scribe line on the collar, or has gone past it. This will indicate whether or not this side of the material is the furthest from the center of the chuck, or whether the opposite side is the furthest from the chuck center.
- 10. In this example, Figure 9, we see that the reading on the micrometer collar is 160, with a maximum reading on the collar of 200. This tells us that we are forty-thousandths of an inch away from our original zero setting.





- 11. Back the too hapleer away from the material and rotate the chuck of that the jaw which is opposite that with the 40 thousandths of an inch run-out if in an accessible position. Loosen the jaw with a chuck wrench and back it out one half of the material's run-out or twenty-thousandths of an inch.
- 12. Rotate the chuck back around so that the jaw with the largest run. out is in an accessible position. With the aid of the chuck wrench, tighten this jaw down. This will move the material toward the center of the chuck.
- 13. Repeat the procedure until these two edges of the rectangular piece of material have the same reading on the cross-slide micrometer collar.
- 14. Once these two edges are withint the desired tolerance, do not apply excessive pressure to the chuck jaws as you still have the two remaining edges to center. If excess pressure is applied to the first set of jaws, it may become impossible to move the material toward the center of the chuck when aligning the two remaining sides of the rectangular material.

NOTE: If more accuracy is needed than can be obtained with a tool holder, a dial indicator can be used. Also, before turning the lathe spindle ON, be sure each of the four chuck jaws is secure.

#### Setup No. 4 - Chucking Material Internally -

- With the chuck jaws in their normal position move them outward so they measure on the outside, approximately the same size as the inside diameter of the material to be chucked.
- 2. Hold the material firmly against the jaws while adjusting each jaw outward until the material is held securely by all four jaws. (Fig. 10)




Fig. 10

3. Use whatever method is necessary to bring the material into time required tolerance.

NOTE: Do not apply any more pressure than necessary to hold the material as it may become bent or deformed if it is of thin-walled material. Also, discrete use a dial indicator on any material with rough or scale surface.

ERIC

128

#### Setup No. 5 - Chucking Material Externally With Reverse Jaws -

1. Reverse the chuck jaws one-at-a-time. Be sure that you replace each of the chuck jaws from the same sunt that it was removed.




Fig. 11

- 2. Position the chuck jaws to the approximate outside diameter of the material with the aid of the concentric rings on the chuck face.
- 3. Place the material inside the chuck jaws, and hold it securely while closing the jaws. (Fig. 11)
- 4. Use whatever method is necessary to bring the material into the required tolerance.

NOTE: Do not apply any more pressure than necessary to hold the material as it may become bent or deformanifit is of thin-walled material. Also, do not use a dial indicator on any material with material or scale surface.



#### SELF-TEST

1.	What characteristic makes it possible for a four-jaw independent chuck to hold
	uneven or unsymetrical parts?

- 2. Will a three-jaw chuck hold a workpiece as securely as a four-jaw independent chuck?
- 3. When doing chucking work that is not supported by a steady-rest or tailstock center, how far into the jaws of the chuck should you insert the piece of material?
  - A. just enough to hold on to the material
  - B. no more than half way into the jaws
  - C. as far into the jaws as possible
  - D. none of the above
- 4. If a workpiece is off-center in a four-jaw chuck, you would move it toward the center of the chuck:
  - A. by moving the jaw on the high side toward the center
  - B. by moving the jaw on the low side toward the center
  - C. tighten the jame on the high and low side
  - D. none of the bove
- 5. Approximate was accurately can you center a piece of material by using the tool hower method?
- 6. may have a tendency to develop if the material that is being turned extends too far beyond the jaws of the chuck.





#### SELF-TEST ANSWER KEY

- 1. Each jaw is able to move independently of all the rest.
- 2. No More holding pressure can be applied to each jaw of a four-jaw independent chuck than the jaw of a three-jaw universal chuck.
- 3. As far into the chuck as possible.
- 4. A.
- 5. + 1/64"
- б. Vibration or chatter



#### POST-TEST

What disadvantage might you find in using a four-jaw independent chuck over that of a three-jaw universal chuck?
When using amial indicator on a piece of material held in a four-jaw independent chuck, the immicator should be placed where?
A. away from the chuck, and toward the end of the material.
B. as close to the chuck jaws as possible without endangering the indicator.
A dial indicator should never be used on material which has a
The on the face of the four-jaw chuck can be
used to position the chuck jaw in relation to the diameter of the material.
To center a piece of round stock:
A. you should tegitien the saw over the low side.
B. you should thighten the jew over the high side.
C. you should trainten the saw 90 degrees from the high side.
D. nonerof the prove.
Which chuck will small worsenose securely?
A. four-jaw chuck
B. both are about the same
C. three-jaw chunk
D. none of the above
Once you have completed the above portion of the Post-test, your instructor
will have work setup and center two pieces of material, is any of the setups



#### POST-TEST ANSWER KEY

- 1. Generally more time consuming to adjust than three-jaw universal chuck.
- 2. B.
- 3. rough surface
- 4. concentric rings
- 5. B.
- 6. A
- 7. Your instructor will evaluate the accuracy of your setup.



APPENDIX G
Sample Work Experience Training Plan

134

GENERAL AUTOMOTIVE

#### STUDENT PROGRESS RECORD & WORK EXPERIENCE PROGRAM

#### TRAINING PLAN

: From	10	NAME OF STUDENT
NUMBER _	620.281 014	NAME OF FIRM
NUMBER	17.030200	
-	<del> </del>	NAME OF SCHOOL

#### INSTRUCTIONS:

This training plan includes those tasks which are most often performed by the GENERAL AUTOMOTIVE MECHANIC

In order to design a personalized training plan for the individual student check only those tasks which will be included in the training to be offered by the employer. Also indicate by a check mark those items of related information to be learned "in school" or "on the job".

As each assigned task is observed, practiced, and performed, the appropriate column should be initialed by the employer to indicate the degree of proficiency attained by the student.





AUTOMOBILE MECHANIC D.O.T. 620.281 014 U.S.O.E. 17.030200

Automobile man; garage mechanic; garage repairman. Repairs and overhauls automobiles, buses, trucks, and other automotive vehicles: Examines vehicle and discusses with customer or AUTOMOBILE REPAIR -SERVICE SALESMAN; AUTOMOBILE TESTER; or BUS INSPECTOR nature and extent of damage or malfunction. Plans work procedure, using charts, technical manuals, and experience. Raises vehicle, using hydraulic jack or hoist, to gain access to mechanical units bolted to underside of vehicle. Removes unit, such as engine, transmission, or differential using wrenches and hoist. Disassembles unit and inspects parts for wear using micrometers, calipers, and thickness gages. Repairs or replaces parts, such as pistons, rods, gears, valves, and bearings, using mechanic's handtools. Overhauls or replaces carburetors, blowers, generators, distributors, starters, and pumps. Rebuilds parts, such as crankshafts and cylinder blocks, using lathes, shapers, drill presses and welding equipment. Rewires ignition system, lights, and instrument Relines and adjusts brakes, alines front end, repairs or replace shock absorbers, and solders leaks in radiator. Mends damaged body and fenders by hammering out or filling in dents and welding broken Replaces and adjusts headlights, and installs and repairs accessories, such as radios, heaters, mirrors, and windshield wipers. May be designated according to specialty as AUTOMOBILE MECHANIC, MOTOR; BUS MECHANIC; DIFFERENTIAL REPAIRMAN; ENGINE-REPAIR MECHANIC, BUS; FOREIGN- CAR MECHANIC; TRUCK MECHANIC.

TAS	-	g (A. ). The second sec	ved	S		•	LEARNED	I Da Darro
EMP	HASIZED	TASKS:	Obser	Perfo	Perfor Withou	PRELATED TECHNICAL INFORMATION	IN SCHOOL	LEARNED ON THE JOB
		<ol> <li>Conduct spot checks on malfunctions.</li> </ol>				Orientation to Employer's Business		
		2. Inspect tires and wheels.				Manufacturer's Specifications		
		<ol> <li>Inspect/test windshield wiper motors, blades, arms.</li> </ol>				Employer's shop rates and policies.		
		4. Inspect glass for defects				Inspection report forms.		
		5. Inspect vehicles for physical damage -				Estimating practices or techniques.		
		(exterior, interior)				Mathematics of estimating.		
	447	6. Prepare inspection reports.						
	•	7. Estimate cost of vehicle repairs.				·		
trol		<ol> <li>Complete forms when servicing vehicles.</li> </ol>				Employer's report forms & policies		
		2. Complete time cards.		1		Legible writing or printing		
		<ol><li>Complete parts/materials requisitions.</li></ol>	İ					
		4. Enter work performed on work orders.						. *
		5. Complete service record cards.		ĺ				
		·						
							ri T	
							ini Jeografia	139



·	THOSE TASKS TO BE EMPHASIZED	TASKS:	Observed	Performs with	Supervisic Performs Without	E CONTRACTION TECHNICAL INFORMATION	LEARNED IN SCHOOL	LEARNED ON THE JOB
tenance/ haul		1. Adjust valves				Safety & Cleanliness		,
		2. Clean engines				Internal Combustion Engine Theory		
		3. Clean engine parts and check for condition.				Technical manuals - interpreting		
		<ol> <li>Diagnose valve train and head malfunctions.</li> </ol>				Manufacturers specifications		
		5. Disassemble engines.				Measuring Instruments		
		6. Fit piston pins.				Small Hand Tools		
		7. Grind valves.				Power tools		
		8. Inspect and correct bearing fit.				Welding		
		9. Inspect exhaust systems.				Special tools		
		10. Inspect head for warp.				Angular Measurement		· .
		<ol> <li>Inspect or replace exhaust manifolds.</li> </ol>				Fundamentals of Applied Physics		
		12. Inspect crankshaft and	ĺ			Special equipment		
	·	connecting rod assembly using micrometers and other equipment.				Tolerances (decimals, fractions, etc.)	•	د. في منافق عند . ال
		<ol> <li>Machine valve guides for special seals.</li> </ol>				Lubricants		14
		<ol> <li>Perform cylinder balance test.</li> </ol>						
		15. Ferform cylinder leakage test.				-	, a with Ni	



TO BE EMPHASIZED	TASKS:	Observ	Perform with	Perform Withou	RELATED TEC	HNICAL	INFORMATION	IN SCHOOL	EEARNED ON THE JOB
	16. Perform operational inspections of positive crankcase ventilation systems.								
	17. Perform operational inspections of engine lubrication systems.				5				
	18. Remove engines from vehicles.								
	19. Repair oil pumps.								
	<ol> <li>Replace connecting rods and bearings.</li> </ol>				, and the second				
	<ol> <li>Replace crankshaft and bearings.</li> </ol>				: :		e caker		
	22. Replace engine mounts.							,	
	23. Replace flywheel	į			,				
	24. Replace flywheel ring gears.								
	25. Replace gaskets and seals	212							
	26. Replace muffler.			İ					e de
	27. Replace oil pumps.								
	28. Replace pan and valve covers.								
	29. Replace pistons.								
	30. Replace rings on pistons.			1.				e - 1	
					r Silvano Stano St	: 1.45 : 1.45			143



	THOSE TASKS TO BE EMPHASIZED	TASKS:	Observed	Performs with	supervision Performs Without	o o o o o o o n related technical information	LEARNED IN SCHOOL	LEARNED ON THE JOB
1		<ol> <li>Replace tail pipe assemblies.</li> </ol>				THE THE CONTROL OF TH	JN	
		32. Replace timing gears and chains.						
		33. Replace valves						
		34. Replace valve quides.						
ļ		35. Replace valve seats.				Ì		
		36. Repair or service crankcase ventilation systems. 37. Replace valve lifters.						
ş		38. Resurface valve sears.						
		39. Replace camshaft.						
.		40. Replace camshaft bearings						- 35 (1
, r		11. Run compression test.						
e e		12. Weld small holes and cracks in blocks.						
AIR			İ					
		<ol> <li>Adjust external shift linkage on manual trans- missions.</li> </ol>	İ			Mechanical Power Transmiss- ion Theory		
s'		<ol> <li>Adjust mechanical type clutch.</li> </ol>				Fundamentals of simple machines.		1.
		3. Inspect shifting.	l			Manufacturer's specifications		
		4. Inspect drive shaft				Technical manuals - inter- pretation.		
	en en en en en en en en en en en en en e	5. Inspect drive shafts, u-joints, center bearings				Lubricants		



THOSE O THE STATE OF THE TASKS TO BE LEARNED " LEARNED **EMPHASIZED** IN ON THE SCHOOL JOB REPAIR 1. Adjust floor shift link-Manufacturer's specifications ion age. Technical Manuals - inter-2. Adjust linkage from pretation steering column to automatic transmission. Mathematics of simple formulas 3. Clean and visually inspect transmission. Fundamentals of hydraulics 4. Diagnose, replace or Safety and cleanliness adjust modulators. Special tools and equipment 5. Inspect and repair transmission 'cooling Concept of automatic transsystem. missions. 6. Inspect and repair con-Concept of torque conversion verter. Measuring instruments. 7. Inspect and repair front pump and components. Pressure guages 8. Install automatic trans-Concept of fluid pressure, mission coolers. flow, etc. 9. Make external adjustment Fluids and lubricants. of bands on automatic transmissions. 10. Make internal repairs and adjustments on automatic transmissions. ll. Perform operational automatic transmission inspections. 12. Remove and install automatic transmission.



CHECK

CHECK THOSE TASKS TO BE LEARNED LEARNED **EMPHASIZED** IN ON THE SCHOOL RELATED TECHNICAL INFORMATION TASKS: JOB 13. Replace external seals, gaskets, and lines on automatic transmissions. 14. Replace or adjust neutral switch. 15. Service automatic transmission. 16. Service filter and check transmission cooling system. REPAIR 1 Systems 1. Adjust headlights. Electrical terms & symbols 2. Adjust, repair, or re-Circuits & Circuit Requireplace backup light ments. switches. Magnetism 3. Analyze or adjust engine performance using engine AC and DC theory analyzer. Electrical test equipment 4. Analyze malfunctions in the cranking system. Simple Algebraic Formulas 5. Clean, gap, and test Batteries spark plugs. Charging circuits 6. Inspect secondary circuit 153 leads, plug wires, dis-Starting Circuits tributor cap, and rotor. Ignition systems 7. Inspect and repair ignition switch, resistor, Lighting circuits wiring, coil, points, & condenser of the primary brake inspections. brake rotors brake linings



	CHECK THOSE TASKS TO BE	HOSE ASKS 0 BE					Learned - In	LEARNED ON THE	
	EMPHASIZED	TASKS:	90	rass Peri	Perit Vith	A. PRELATED TECHNICAL INFORMATION	SCHOOL	JOB	
		<ol> <li>Locate and repair shorts and open circuits in wiring.</li> <li>Measure resistance in plug wires.</li> <li>Perform operational inspections of electrical systems.</li> <li>Perform operational inspections of lighting systems.</li> <li>Repair or replace charging systems.</li> <li>Repair distributors.</li> <li>Repair generators or alternators.</li> <li>Repair or replace fuse</li> </ol>				Accessories: Radio, Heater, Air Condition er, Cigarette lighters, Cruise Control, turn signals etc. Circuit Diagrams Technical Manuals Manufacturer's specifications Safety and cleanliness			
		block assembly.  16. Repair or replace lighting system compon- ents.							
		<ol> <li>Repair or replace switches.</li> <li>Repair solenoids.</li> <li>Repair starters.</li> <li>Repair windshield wiper mechanisms or controls.</li> </ol>							
4									



CHECK				Ę	ĕ	•	tek voga et i	e e e e grande ege
THOSE TASKS TO BE EMPHAS	IZÉD TASKS:	Observed	task - Performs With	supervisic Performs Without	RELATED TECHNICAL	INFORMATION	LEARNED IN SCHOOL	LEARNED ON THE JOB
	21. Replace and adjust dis- tributors.							
	22. Replace chassis and under hood wiring.							
	23. Replace flasher units					·		
	24. Replace generators or alternators.							
	25. Replace light bulbs.							}
	26. Replace starters.							
	27. Replace stop-light switch.	: 						
	28. Replace turn signal switches.				,			
	29. Service or replace batteries, cables, and battery boxes.							
	30. Set ignition timing.							
	31. Strobe distributors, modify or correct advance curves.		. •			·		
	32. Test and repair cruise control units.	j						15
	33. Test and repair turn signal units.				·			
	34. Test and rewire dash units.							
. ]								



CHEC THOS TASK	ik S		þ	¥ .	Terror	. ,	in the second	to Set the Species will
EMPH	ASIZED	Tasks:	Chaery -	Perfor With	Super- Perform Without	RELATED TECHNICAL INFORMATI	LEARNED IN SCHOOL	LEARNED ON THE JOB
epair						TECHNICAL INFORMATI	<u></u>	T
ns .		l. Adjust carburetor.				Operating principles:		
		2. Clean carburetor.				Carburetor & choke system		
		<ol><li>Clean or replace fuel filter units.</li></ol>				Fuel pump		
		4. Inspect, clean and adjust				Fuel tank & cap		
***		choke unit (automatic & manual).				Fuel lines and filters		
		5. Inspect, service, or				Air cleaner		
		replace carburetor air cleaner.				Manifolds	·	
		6. Inspect, service, or	ı			Evaporation controls		
		replace gas tank, cap and sending unit.				Servicing/repair/replace- ment of components		
		7. Install carburetors.				Allied fundamentals of Physics		
		<ol><li>Measure fuel flow and pressure.</li></ol>	İ		- 1	Fuel system mathematics.		
	,	<ol> <li>Perform operational inspections of exhaust</li> </ol>			ı	Safety and cleanliness.		
	]	emission control systems.		- 1		Cleaning of parts.		
		10. Perform operational inspection of fuel systems.						
		ll. Remove, service, or replace fuel pumps.				to.		
		l2. Repair or replace fuel lines and hoses.						
								159



	CHECK THOSE TASKS TO BE EMPHASIZED	TASKS:	Observed	Performs with	supervision Performs rithout	TO THE TOTAL OF TH	LPARNED IN SCROOL	LEARNED ON THE JOB
ed)		13. Repair or service car-				RELATED TECHNICAL INFORMATION	<del></del>	
		buretors.						
		14. Repair or service ex- haust emission control systems.						
		15. Service or replace manifold head controls.						
		<pre>16. Service or replace units   in vacuum systems.</pre>						
REPAIR								
ystems		<ol> <li>Check coolant freezing point.</li> </ol>				Cooling systems theory		
		2. Check coolant temperature				Temperature conversions		
·.		<ol> <li>Check overflow tank and accessories.</li> </ol>			- 1	deat transfer		
		<ol> <li>Chemically clean and flush cooling system.</li> </ol>				Soldering principles		
		5. Inspect, adjust, and replace fan.			- 1	coling system chemicals		
		6. Inspect water hoses.				xpansion/Contraction of iquids		
		<ol> <li>Remove and reinstall radiators.</li> </ol>				ressures - high/low		
)		8. Replace freeze plugs.			ı	piling points of liquids.	· [#]	161
	į	Replace heater hoses.			Į	eat vs. temperature		
the purchase there is		10. Replace radiator hoses.	_	- -		operties of liquids		or man mangan
	7.4				1		1.	11 11 1147



	CHECK THOSE TASKS	:	P Q	- 8	ision Fasion	e constant of the constant of	TERRES	
	TO BE EMPHASIZED	TASKS:	Beer	task - Perfor	Superv Perfor	Liedu	IN SCHOOL	LEARNED ON THE JOB
			Ť	T	<del>~~</del>	RELATED TECHNICAL INFORMATION	N .	<del></del>
d)		ll. Replace variable-speed fan.				Manufacturers specifications		
		12. Replace water pump.				Technical Manuals - interpretation		
		<ol><li>Solder minor leaks in radiator.</li></ol>						
		14. Test and replace cool- ant pressure caps.						
		15. Test and replace therm- ostat.						
REPAIR								
Units		1. Adjust worm and sector.				Related fundamentals of		
		<ol><li>Inspect and replace steering spindles.</li></ol>				Physics: the screw and worm		
		3. Inspect steering				lubricants		
		4. Lubricate the power steering		-		angular measurement		
		5. Lubricate the steering				mechanical advantages		
		box and linkage.				pressure in liquids		
		<ol><li>Rebuild power steering cylinder.</li></ol>		İ		properties of liquids		
		7. Repair or replace manual				pumps		
•		steering components.				steering components		
		8. Repair or replace power steering components.				alignment of components		
		9. Repair or replace power				manufacturers specifications		
		steering pumps.				Technical manual - inter- pretation.		163



	TASKS TO BE EMPHASIZED	TASKS:	Observed	Performs vith	Supervis Performs	supervis	LEARNED IN SCHOOL	LEARNED ON THE JOB
ued) .		<ol> <li>Repair or replace tilt and telescoping and collapsible mast jackets</li> <li>Replace belts and set tension.</li> <li>Replace pivot points on power steering linkage.</li> <li>Replace pivot points on steering linkage.</li> <li>Service filter in power steering.</li> </ol>			)	RELATED TECHNICAL INFORMATION	V	
V/REPAIR			Í	•				
rstems		<ol> <li>Adjust brakes.</li> <li>Adjust hand brake linkage.</li> <li>Bleed brakes.</li> <li>Free up parking brake cables.</li> <li>Inspect and replace brake pads. (disc brakes)</li> </ol>				Hydraulic system fundament- als:  Pressure in fluids  Residual pressures  Mechanical advantages  Power assistance  Safety and cleanliness	2.	e due
4	·	<ol> <li>Inspect and turn rotor if necessary. (disc brakes)</li> <li>Inspect and turn brake systems.</li> <li>Inspect, repair or replace self adjusters.</li> <li>Perform operational</li> </ol>				Mathematics of hydraulic systems.  Atmospheric pressure and vacuum.  properties of materials:		165
	884			orida i	***	Referencia de la companya de la companya de la companya de la companya de la companya de la companya de la comp		



,	TASKS TO BE		. <b></b>	OX	OCT TO	<b>4</b> 	LEARNED -	
	EMPHASIZED	TASKS:	Obse.	Perf	Trick Crit		IN SCHOOL	ON THE JOB
EPAIR			Ť			RELATED TECHNICAL INFORMATION		<del></del>
PAIR			l					
ns		<ol> <li>Recondition backing plates.</li> </ol>				Manufacturers specifications		
		ll. Reline brake shoes.				Technical manual - inter- pretation		
		12. Repair disc brakes.						
		<ol> <li>Repair or replace master cylinder.</li> </ol>				·		
		14. Repair or replace hy- draulic power brake units.						
		15. Repair or replace hy- draulic control valves.						
	,	16. Repair or replace hydraulic lines and fittings.				·		
		l <sup>7</sup> . Repair or replace wheel cylinder.		-				
		18. Replace brake shoes.	Ī					
PAIR								
		<ol> <li>Adjust or replace torsion bars.</li> </ol>				Front end theory:	January (1985) of Miles agents	age the could make a comparison or make and
		2. Adjust and repack front	ł			Caster/camber/toe-in		
		wheel bearing.		- 1		Toe-out on turns.		
		3. Balance wheels and tires.		ı		Spring height		
<b>,</b>		4. Inspect and align front end.				Angular measurement		16
				- 1		Alignment		



	THOSE TASKS TO BE EMPHASIZED	TASKS:	Observed	Performs with	Supervision Performs Without	RELATED TECHNICAL INFORMATION	LEARNED IN SCHOOL	LEARNED ON THE JOB
(E		<ol><li>Inspect and align rear end.</li></ol>				Manufacturer's specification		
		6. Inspect and replace steering damper.				Technical manuals - interpretation		
		7. Inspect wheel bearings.				Safety and cleanliness		
		8. Inspect and repair front suspension systems.						
		9. Lubricate ball joints.						
		10. Lubricate the front and rear suspension.		·				
		ll. Perform visual inspect- ions of suspension systems.						en de la companya de la companya de la companya de la companya de la companya de la companya de la companya de
		12. Rebush king pins or link pins.						
		13. Repair or replace rear suspension system.						
		14. Replace ball joints.	- [					
	-	15. Replace front wheel.		İ				
		16. Replace front suspension control arms and bushings.						***************************************
		17. Replace shock absorbers.						169
	·							
	along and the first of the firs							



REPAIR		<ol> <li>Diagnose heating system malfunctions.</li> <li>Inspect and replace thermostat.</li> <li>Inspect and replace defroster hose.</li> <li>Replace heater water control units.</li> <li>Remove and repair or</li> </ol>				RELATED TECHNICAL INFORMATION  Heat transfer fundamentals  Properties of liquids  Heater controls  Temperature sensors  Manufacturer's specification		
		malfunctions.  2. Inspect and replace thermostat.  3. Inspect and replace defroster hose.  4. Replace heater water control units.  5. Remove and repair or				Properties of liquids Heater controls Temperature sensors		
		thermostat.  3. Inspect and replace defroster hose.  4. Replace heater water control units.  5. Remove and repair or				Heater controls Temperature sensors		
		defroster hose.  4. Replace heater water control units.  5. Remove and repair or				·		
		control units.  5. Remove and repair or				Manufacturer's specification	3	
	·	5. Remove and repair or	1	1	1			
		replace heater core.				Technical manuals - interpretation		
		6. Service heater control components.				Safety and cleanliness Soldering principles		
1		. Service or replace circulating heaters.		·				
PAIR							. *	
oners		<ol> <li>Inspect and refill system with freon.</li> </ol>				Heat transfer fundamentals		
		<ol> <li>Diagnose air conditioning malfunctions.</li> </ol>				properties of liquids		ental) i entalis
	i man is the experience of	3. Install air-conditioners	paragon y mby, a	and the second supplement	, 1844 (H. 1844)	properties of gases compressor fundamentals	e mani te mi mi mang E majamin mani manangka	
		<ul><li>in vehicles.</li><li>4. Pressure test, perform-</li></ul>				condenser fundamentals		
	î ş	ance test, and leak test system.				evaporator fundamentals		
		5. Repair or replace air conditioning compressor				dryer fundamentals manufacturer's specifications		171



	THOSE TASKS TO BE EMPHASIZED	YASKS:	Observed	Performs with	Performs Without	DELAGED SECTION -	LEARNED IN SCHOOL	Learned On the Job
		<ol> <li>Repair automatic a/c and heater systems vacuum and electrical units.</li> </ol>				RELATED TECHNICAL INFORMATION Technical manuals - interpretation	v .	
		<ol> <li>Repair compressor shaft seals.</li> </ol>				Safety and cleanliness Temperature conversions		
	·	8. Replace compressor seals.				Related mathematics		
		<ol><li>Replace condensor in air conditioning unit.</li></ol>				Pressures ~ high/low	y.	
		10. Replace air conditioner fan motor.				Seals and gaskets		
		ll. Replace evaporator in air conditioning unit.						
Ono		12. Replace dryer in air conditioning unit.		j			, i	
No. of Street		<ol> <li>Replace expansion valve in air conditioning unit</li> </ol>					• •	
·		14. Replace freon control valve or diaphragm in air conditioning unit.				·		
,		15. Service air conditioner control cables and switches.					·	The section of the se
2							,	17
				-	· •••   ·			



TASKS TO BE EMPHASIZED	TASKS:	Observe	Perfor	Supervi Perform	RELATED TECHNICAL INFORMATION	LEARNED IN SCHOOL	LEARNED ON THE JOD
<b>I</b> R				T	THE ORIGINAL	<u> </u>	
etc.	<ol> <li>Change of oil and filters</li> <li>Inspect and clean auto-</li> </ol>				Types of lubricants Types of fuels		
	mobile interiors.  3. Lubricate vehicles and				Lubrication charts, etc.		
	equipment.  4. Remove, repair or replace				Changing/servicing tires Winterizing services		
	tires. 5. Perform road service.		i		Manufacturer's specification		
	6. Pick up stalled vehicles.		,		Safety and cleanliness		
	7. Service vehicles with fuel or oil.						
	8. Maintain tire removal equipment.						
	9. Maintain washrack equipment.					·	
	10. Winterize vehicles.						
						e gran en de crisade en en	
							175
					A Company of the Comp		
			1		].		



APPENDIX H
Miscellaneous Tables



### Table IV MANPOWER SUMMARIES FOR

COMPETENCY-BASED OCCUPATIONAL GROUPINGS\*

TITLES	DATES
Summary of Occupational Employment Trends in the Marketing Cluster	1974
Summary of Occupational Employment Trends in Health Occupations	1974
Summary of Employment Trends in the Food Service Occupations	1975
Summary of Occupational Trends in the Office Occupations	1974
Summary of Occupational Employment Trends in the Industrial Mechanics Cluster	1973
Summary of Employment Trends in the Construction Occupations	1975
Summary of Occupational Employment Trends in the Electricity-Electronics Occupations	1973
Summary of Occupational Employment Trends in the Metals Cluster	1974
Summary of Employment Trends in the Child Care, Clothing, and Institutional and Home Management Occupations	1975
Summary of Occupational Employment Trends in the Graphic Communications Occupations	1973**
Summary of Occupational Employment Trends in Service Occupations Cluster	1974
Summary of Employment Trends in the Forest Products Occupations	1975
Summary of Employment Trends in the Agricultural Occupations Planned for	1976

\*Published by the Oregon Department of Education, Career and Vocational Education Section, Salem, Oregon 97310

\*\*Drafting occupations and estimated employment and projected need were not included in the Graphics Manpower Summary, but are available upon request. Present plans are to include the drafting occupations in the second edition of the manpower summary for the graphics occupational areas.



# GUIDES DEVELOPED OR REVISED DURING PROJECT PERIOD INCLUDING COMPILATION OF COMPETENCIES AND PERFORMANCE OBJECTIVES

CLUSTER	NEW	REVISED	
Electricity/Electronics		х	
Service Occupations	У		
Marketing		X	
STeno-Clerical			
Real Estate	x		



### Table VI WORK EXPERIENCE TRAINING PLANS DEVELOPED DURING PROJECT

OCCUPATION	D.O.T. NUMBER	USOE NUMBER
AUTOMOTIVE		
meral Auto Mechanic	620.281 014	17.030200
r Conditioning Mechanic	620.281 010	17.039900
stomatic Transmission Mech.		17.030300
tomotive Brake Mechanic	620.281 034	17.030300
stomotive Electrical Mech.		17.030300
ervice Station Attendant	915.867 010	
gine Tune-up Mechanic	620.281 106	17.030300
ont End Alignment Mech.	620.281 062	17.030300
diator Repair Mechanic	620.381 010	17.030300
all Engine Repair Mech.	620.381 086	17.31
diator Repair Mechanic mall Engine Repair Mech. brication Man-Automotive	915.887 014	17.039900
FOOD SERVICE		
usboy/Busgirl	311.878 010	17.2904
ook	318.381 018	17.290200
alata Halmon	217 997 010	17.2902
ook - School Cafeteria	313.381 018	17.290200
ook - School Cafeteria	314.281 010	17.290200
unterman/Countergirl	311.878 022	17.290400
st/Hostess	310.868 010	04.0700
tchen Helper	318.887 010	17.2999
ndwichman/Sandwichgirl	317.884 022	17.290200
iter/Waitress	311.878 058	17.2904
OFFICE OCCUPATIONS		•
okkeeper	210.388 022	14.0102
erk,General Office	219.388 066	14.0303
erk Typist	209.388 022	14.0901
ceptionist	237.368 038	14.0406
cretary,General Office	231.368 018	14.070200
enographer	202.388 014	14.070300

## Table VII OCCUPATIONAL TASK ANALYSIS COMPLIED DURING PROJECT PERIOD

SUBJECT AREA	USOE OCCUPATION GROUP	D.O	.T.	NUMB	ER/TITLE
Marketing	Advertising Service	164	168	010	Account Executive
	Automotive Sales	280	358	014	Salesman, Auto
	Finance & Credit	186	168	046	Operations Office:
	Food Distribution	299	468	010	Cashier-Checker
	General Merchanidise	299	138	022	Manager, Departmen
		289	458	014	Salesperson, Gener
	Hardware	276	358	010	Salesman, Building Supplies
	Industrial Markeing	289	358	014	Salesman, General
	Insurance	250	258	014	Life & Health Ins Fire & Casualty In
	Real Estate	250	358	026	Salesman, Real Est
		250	358	026	Broker, Real Estat
	Dist. Ed., Other	162	158	102	Purchasing Agent
	Shipping & Receiving	222	387	026	Shipping/Receiving Clerk
	Stock & Inventory Clerk	223	387	094	Stock Clerk
Industrial	Mechanic	620	281	014	Automobile Mechani
Mechanics	Small Engine Mechanic	620	281	086	Motorcycle Repairs (Small Engine Mechanic)
	Business Machine Maintenance	633	281	030	Office-Machine Serviceman
	Maintenance, Heavy Equipment	620	281	046	Construction Equipment Mechanic
	Cooling	827	381	022	Refrigerator Mechanic
Electricity/ Electronics	Electricity	824	281	014	Electrician Manufacturing Maintenance Elect. Construction Elect
	Electronics Tech.	003	131	014	Electronics Tech.
	A Section 1				



180

### OCCUPATIONAL TASK ANALYSIS COMPLIED DURING PROJECT PERIOD

SUBJECT AREA	USOE OCCUPATION	D.O.T. NUMBER/TITE	LE
ARLA	GROUP	i	
Electricity/ Electronics	Electrical Appliances	827 281 014 Electri Servi	rical Appliances iceman
(cont'd)	Electronics Occup.	726 781 010 Electi Assen	
	Radio and Television	720 281 010 Radio	Repairman
	Radio and Television	720 281 018 TV Sea	vice & Repair
Service	Hotel Lodging	187 118 030 Hotel	Manager
Occupations	Transportation	242 368 014 Travel	l Clerk
	Cosmetology	332 271 010 Cosmet	cologist
	Law Enforcement	375 268 040 Patrol	lman
	Law	119 288 020 Legal	Assistant
	Information Commication Occupations	248 368 050 Librar	ry Assistant
	Educational Assis- tants & Training Specialist	009 368 014 Teache	er Aide
Real Estate	Real Estate	Develo	per/Builder
e e e e e e e e e e e e e e e e e e e	Commercial Real Estate	Invest	ment Counselor
	Real Estate	Leasir Manage	ng & Property ement
	Real Estate Broker	Broker	, Marketing
	Real Estate Appraiser	191-287-010 Apprai	lser -
	Real Estate Title & Escrow Officer	169-388-010 Title Office	
	Real Estate Broker	Recrea	Ranches ational Real , Sales
e alleathades a sea and	Real tate	- · · - <del>-</del> - · ·	ential Real e, SAles



